

Numerical Evaluation of D-Finite Functions in SageMath with Applications

Marc Mezzarobba
CNRS, Sorbonne Université


Journées de combinatoire de Bordeaux
14 février 2018

[arxiv:1607.01967](https://arxiv.org/abs/1607.01967) [cs.SC]

prepared with GNU T_EX_{MACS}

Face-Centered Cubic Lattices

[Guttmann 2009, Broadhurst 2009, Koutschan 2013]



© User:Baszoetekouw

$$\text{return probability} = 1 - \frac{1}{P(1)}$$

dimension d :

$$P(z) = \frac{1}{\pi^d} \int_0^\pi \cdots \int_0^\pi \frac{dk_1 \cdots dk_d}{1 - \lambda(\mathbf{k})z}$$

$$\lambda(\mathbf{k}) = \frac{2}{d(d-1)} \sum_{i < j} \cos k_i \cos k_j$$


For fixed d :

- ▶ Compute a **differential operator** \mathcal{D} such that $\mathcal{D} \cdot P = 0$
- ▶ Compute $P(1)$ by solving the differential equation

Face-Centered Cubic Lattices ($d = 6$)

[Koutschan 2013]

$$\begin{aligned} \text{dop6} = & 410085196915322880 z^{35} + 112905266474211563520 z^{34} + 1171669263761496 \backslash \\ & 1489920 z^{33} + 690817401287078917363200 z^{32} + 27204862643846611522761600 z^{31} + 7788 \backslash \\ & 11406918247228618497600 z^{30} + 17044384124115240781429792800 z^{29} + 29424523406685 \backslash \\ & 0000428339092800 z^{28} + 4083424587805117060272476125800 z^{27} + 4597302954911979623 \backslash \\ & 5386142827300 z^{26} + 419695598890898253203455876749930 z^{25} + 30642971761740916717 \backslash \\ & 17985958725620 z^{24} + 17169584489259696388755804636033570 z^{23} + 64581771961684810 \backslash \\ & 077279475394020500 z^{22} + 51714221934272099420476126216766700 z^{21} - 1473967391504 \backslash \\ & 437899277380487903179960 z^{20} - 14237554341321335335392023192872385940 z^{19} - 8321 \backslash \\ & 6340134393115016834220980384454340 z^{18} - 36401915432810756256884790682248806 \backslash \\ & 3550 z^{17} - 1261571478513401088177035093275526304300 z^{16} - 3528341032098896995323 \backslash \\ & 439017117956856150 z^{15} - 7964369518593778029521056070442794466900 z^{14} - 14280500 \backslash \\ & 726162786254712841163875001728600 z^{13} - 1953465311568634254358083196094197891 \backslash \\ & 8000 z^{12} - 18398783334222380084238012428704731960000 z^{11} - 755374178599030935723 \backslash \\ & 4054786177488000000 z^{10} + 8887432309419522403983976171775697600000 z^9 + 21137039 \backslash \\ & 158366320685856256980012112000000 z^8 + 2268269355393480 \backslash \\ & 46904466472955088000000000 z^7 + 149381834281462611905463546 \backslash \\ & 71616000000000 z^6 + 469024652858481632994019940044800000 \backslash \\ & 0000 z^5 - 872829008634785738926162452480000000000 z^4 - 11043 \backslash \\ & 27940779745890150773145600000000000 z^3 - 35389870820758085 \backslash \\ & 67729192960000000000000 z^2 - 520793429107744448741376000000 \backslash \\ & 0000000 z - 242879062193188503552000000000000000 + \end{aligned}$$



Face-Centered Cubic Lattices ($d = 6$)

[Koutschan 2013]

$$\begin{aligned} & (3964156903514787840 z^{36} + 1104718489963413534720 z^{35} + \\ & 117871088739930352834560 z^{34} + 7183287516644479615795200 z^{33} + 29310583 \backslash \\ & 5218942903781855360 z^{32} + 8706572378734984776799502400 z^{31} + 1979497761381158661 \backslash \\ & 33849254880 z^{30} + 3555494624146318548046453851120 z^{29} + 514578986720138650981112 \backslash \\ & 91247320 z^{28} + 606522834979531840684521625237020 z^{27} + 5835366836846027182876920 \backslash \\ & 856348950 z^{26} + 45455202501826358974606219981974015 z^{25} + 2791534044675020629485 \backslash \\ & 31557838260750 z^{24} + 1252275399372837134061507042628908795 z^{23} + 294318280292355 \backslash \\ & 2038161307584706940070 z^{22} - 10483513115206289398510413216920199750 z^{21} - 169948 \backslash \\ & 182933507479161257565568616530700 z^{20} - 115496959477627716064907778598382055 \backslash \\ & 3870 z^{19} - 5548694490781020038019823355124585193590 z^{18} - 2074522951757745127237 \backslash \\ & 7158241970915439245 z^{17} - 62232963928794638659423069651761724690290 z^{16} - 150810 \backslash \\ & 045901978932864163493046405461262105 z^{15} - 292528626523005661629390236883046859 \backslash \\ & 976150 z^{14} - 441395096063183148839008172248580337780300 z^{13} - 484123578764537043 \backslash \\ & 031861206473715269343000 z^{12} - 312976584649334763451810663858004196420000 z^{11} + \\ & 31415133499909950234831915395869293600000 z^{10} + 330738460087674555468491482629 \backslash \\ & 558468000000 z^9 + 391096978918364972225128472061480072000000 z^8 + 23246017042594 \backslash \\ & 8027345434850305279520000000 z^7 + 18060134934884299834847099345568000000000 z^6 - \\ & 100213400891192102370293326036992000000000 z^5 - 8385906451598513649590309945856 \backslash \\ & 0000000000 z^4 - 29487051768804049058487328972800000000000 z^3 - 55164827197430422 \backslash \\ & 28472840192000000000000 z^2 - 37955378966350598718455808000000000000 z + 8379327 \backslash \\ & 645665003372544000000000000000) Dz + \end{aligned}$$

Face-Centered Cubic Lattices ($d = 6$)

[Koutschan 2013]

$$\begin{aligned} & (8133356405487237120 z^{37} + 2294131782043664317440 z^{36} + \\ & 251295328534762193633280 z^{35} + 15795453015240816970091520 z^{34} + 666093618246 \backslash \\ & 765502077439680 z^{33} + 20469375712416843040909376160 z^{32} + 4818173382673386397833 \backslash \\ & 28749120 z^{31} + 8967973126212020032517991216960 z^{30} + 134696914854304536722281866 \backslash \\ & 954300 z^{29} + 1651833654984876079820125885678650 z^{28} + 16607490026343429532811575 \backslash \\ & 311949230 z^{27} + 136263869454304799146859253346813455 z^{26} + 895865319327471447638 \backslash \\ & 111289873238710 z^{25} + 4489711074264384906529925990254793265 z^{24} + 14491852283494 \backslash \\ & 577826654003932547711690 z^{23} - 168509066471194546983174648133542750 z^{22} - 386265 \backslash \\ & 894549826881229123104470731096440 z^{21} - 316325913106056858454611334378198756 \backslash \\ & 1220 z^{20} - 16636182069413821170544684047556220568150 z^{19} - 662467400893936760809 \backslash \\ & 81537130378090658525 z^{18} - 209080245872850631566312137449619561543730 z^{17} - \\ & 529097465740104776391772834675033946593335 z^{16} - 10650386207573139293916393610 \backslash \\ & 32363453750930 z^{15} - 1653651644685620142167009422124022555221700 z^{14} - 182938347 \backslash \\ & 4513975929874027770563298831967800 z^{13} - 10887098968369058066602841492776215683 \backslash \\ & 28000 z^{12} + 437384067337328886944483963336952904080000 z^{11} + 1678380365365432006 \backslash \\ & 625451473236269012000000 z^{10} + 1564385355592027935922683162898655112000000 z^9 + \\ & 303607398715325954207032303663107840000000 z^8 - 929554263384554771136483801 \backslash \\ & 584745600000000 z^7 - 133465853572648237153690804917964800000000 z^6 - 9419775340 \backslash \\ & 0652483718287926356480000000000 z^5 - 35029765385278767758927501660160000000 \backslash \\ & 0000 z^4 - 6428624147389214823464058470400000000000 z^3 - 37458505751548575098585 \backslash \\ & 0880000000000000 z^2 + 6687067779833962474045440000000000000 z + 7286371865795 \backslash \\ & 6551065600000000000000000) Dz^2 + \end{aligned}$$

Face-Centered Cubic Lattices ($d = 6$)

[Koutschan 2013]

$$\begin{aligned} & (6219625486549063680 z^{38} + 1775531336308022522880 z^{37} + \\ & 199409996635132589752320 z^{36} + 12904862497592448920163840 z^{35} + 561222248755 \backslash \\ & 128125708191680 z^{34} + 17798695421072697669468739680 z^{33} + 4325301686047256581892 \backslash \\ & 10596640 z^{32} + 8315189920333341531658617695280 z^{31} + 129103723904595771409928232 \backslash \\ & 487740 z^{30} + 1639190738531986170699647097803790 z^{29} + 17111040709840823035760757 \backslash \\ & 618682440 z^{28} + 146518901443861803658771329866897880 z^{27} + 101553427880666984315 \backslash \\ & 9745327151252620 z^{26} + 5496338276053076075068754467310102760 z^{25} + 2089057420971 \backslash \\ & 4927539267068315744951640 z^{24} + 30164609970591947189827076234922007050 z^{23} - \\ & 289127416281529376142095631015519267120 z^{22} - 30536692798730633467931505919379 \backslash \\ & 74700130 z^{21} - 17566486109105161467894504789161406270600 z^{20} - 73673650638461574 \backslash \\ & 538679743097050051115220 z^{19} - 240407438967557398913317296975336574702980 z^{18} - \\ & 619168293687639511251067273975020197114100 z^{17} - 12412253032904606237959908599 \backslash \\ & 05959226579320 z^{16} - 1835553795134837646262350779261931882894750 z^{15} - 167031460 \backslash \\ & 2837141110845640706031012073555700 z^{14} + 3066874861862296186275087607527571093 \backslash \\ & 2000 z^{13} + 2931594155313390328935716187001614568260000 z^{12} + 4919456458899666498 \backslash \\ & 684069708388548285600000 z^{11} + 3777365646243762653104795884206143332000000 z^{10} + \\ & 68195639154415674514017863641593600000000 z^9 - 31188109375232537262356667826 \backslash \\ & 66096800000000 z^8 - 3771833787399616704258908808294288000000000 z^7 - 24884448319 \backslash \\ & 30996824908954989144320000000000 z^6 - 89395910342209380332330526274560000000 \backslash \\ & 0000 z^5 - 100083705719332806676962561024000000000000 z^4 + 2564203084567737476418 \backslash \\ & 01728000000000000000 z^3 + 1028076103183337304001413120000000000000 z^2 + 10337540 \backslash \\ & 08459758568243200000000000000000 z) Dz^3 + \end{aligned}$$

Face-Centered Cubic Lattices ($d = 6$)

[Koutschan 2013]

$$\begin{aligned} & (2192816677949990400 z^{39} + 633490213477308768000 z^{38} + \\ & 72864986011484455353600 z^{37} + 4847486869795537260532800 z^{36} + 21701401 \backslash \\ & 7048761645614816000 z^{35} + 7088016995800124707996090560 z^{34} + 1774096571316102704 \backslash \\ & 82016190640 z^{33} + 3513089912736584156549238676620 z^{32} + 562015877327404499596706 \backslash \\ & 75451690 z^{31} + 735847759326730529024504240988015 z^{30} + 7934411063073314432988482 \backslash \\ & 485900500 z^{29} + 70405171912630286359945571896774110 z^{28} + 5088828139208506106992 \backslash \\ & 35633677324220 z^{27} + 2913386772290646501282812655546011475 z^{26} + 122379897749644 \backslash \\ & 63385062890926963215950 z^{25} + 27303163874555616052155898475524386210 z^{24} - 84400 \backslash \\ & 724272601405065271773264397209530 z^{23} - 130932954808576856297312907253772416 \backslash \\ & 4955 z^{22} - 8229269199062442444264260234977847805360 z^{21} - 3594874091884447514031 \backslash \\ & 8574840001115213670 z^{20} - 119246681320333134593914488403328142970080 z^{19} - 30427 \backslash \\ & 3308297438630162837099041285050546455 z^{18} - 57714503089590179069731112638689603 \backslash \\ & 6767490 z^{17} - 707778167790136602728038144967670916837350 z^{16} - 15334140655390733 \backslash \\ & 4245470038125935935813900 z^{15} + 1611202920628825942940219406515876419542000 z^{14} + \\ & 4188993616205017046899739124211544543460000 z^{13} + 5699626392082018037453259396 \backslash \\ & 194906388000000 z^{12} + 4145140187203309836183311398252469964000000 z^{11} + 95068892 \backslash \\ & 397133773199630362250506960000000 z^{10} - 322447694713681036240924354097202960000 \backslash \\ & 0000 z^9 - 36368355281389283027676649873995360000000000 z^8 - 210391871123659328537 \backslash \\ & 31961115328000000000000 z^7 - 55159060242541438416411785825280000000000 z^6 + 1162 \backslash \\ & 15925694410902420898178048000000000000 z^5 + 11283852768448237101798156288000000 \backslash \\ & 000000 z^4 + 26640440911690813973554790400000000000000 z^3 + 24272726277931776073 \backslash \\ & 72800000000000000000 z^2) Dz^4 + \end{aligned}$$

Face-Centered Cubic Lattices ($d = 6$)

[Koutschan 2013]

$$\begin{aligned} & (390720062616543744 z^{40} + 114216661424360307456 z^{39} + \\ & 13440822351615963069696 z^{38} + 917965180366474611870720 z^{37} + 422376739322 \backslash \\ & 63775988570560 z^{36} + 1418218839310481932976078400 z^{35} + 364872068364080011976899 \backslash \\ & 10640 z^{34} + 742504152062765602237759452720 z^{33} + 1220569466691901164246256065 \backslash \\ & 0930 z^{32} + 164251022394443778986763736539405 z^{31} + 18217671156128364340537374047 \backslash \\ & 55054 z^{30} + 16657938302824007267243724365434191 z^{29} + 12453346084962020000971144 \backslash \\ & 5328730256 z^{28} + 743593796442908540070532245488378205 z^{27} + 33360046070881075316 \backslash \\ & 34361889061221370 z^{26} + 9020222161854736084202629824390547047 z^{25} - 919882472294 \backslash \\ & 3404205447421299404277112 z^{24} - 279449868802402514175677041789492570017 z^{23} - \\ & 1907863427661939885576723126598906643790 z^{22} - 8574083646475710050757565542672 \backslash \\ & 979674555 z^{21} - 28405587296847231070183606856583770811720 z^{20} - 6957425817531295 \backslash \\ & 5514440713973653616428745 z^{19} - 114991436892487711669937849824912517430330 z^{18} - \\ & 70378017201579863364495432167182725333675 z^{17} + 261641966501089147843656083216 \backslash \\ & 157842879550 z^{16} + 1049410824795136384837467209810025539400000 z^{15} + 20896637809 \backslash \\ & 64272997600159898811800513390000 z^{14} + 259786002679636380331331345092974504000 \backslash \\ & 0000 z^{13} + 1759136834585156085432113720072647266000000 z^{12} - 1346756149912237131 \backslash \\ & 08740928290811280000000 z^{11} - 1578996098791370746284707453439169200000000 z^{10} - \\ & 1556811681322720025894531955998040000000000 z^9 - 67890891761349944176134243479 \backslash \\ & 5200000000000 z^8 + 3149221592935046990103881875200000000000 z^7 + 192407344459752 \backslash \\ & 4252611218334720000000000000 z^6 + 10412684021044478206062895104000000000000 z^5 + \\ & 20982276643045393599012864000000000000000 z^4 + 17874380983279966433280000000000 \backslash \\ & 00000000 z^3) Dz^5 + \end{aligned}$$

Face-Centered Cubic Lattices ($d = 6$)

[Koutschan 2013]

$$\begin{aligned} & (35882454730090752 z^{41} + 10612604051614486656 z^{40} + 1276532600942212775168 z^{39} + \\ & 89393980129433032096320 z^{38} + 4221606838983473228197008 z^{37} + 145494567985766 \backslash \\ & 484898923048 z^{36} + 3840828004490920060950969480 z^{35} + 8016006238826772717221198 \backslash \\ & 5080 z^{34} + 1350855094398006902682870922050 z^{33} + 1863108289263053682422294940 \backslash \\ & 9585 z^{32} + 211815796834464054711973645322142 z^{31} + 19867083220856675726655250160 \backslash \\ & 37411 z^{30} + 15263082383031406770429022758762048 z^{29} + 94068732852089205756130773 \backslash \\ & 605094705 z^{28} + 441055376229095921513357130918811338 z^{27} + 131963694549876126497 \backslash \\ & 3744224282378779 z^{26} - 137626809673226795399591264079041112 z^{25} - 31072001737970 \backslash \\ & 299221405533198706303141 z^{24} - 226886176666918560987240200768631693150 z^{23} - \\ & 1033954017266382248984767586852072344191 z^{22} - 335673294622437360164908793734 \backslash \\ & 9109785896 z^{21} - 7573126212785007618891225542456994124245 z^{20} - 9076459539413303 \backslash \\ & 184641722134776573895810 z^{19} + 10278671248090335377408918358815408788425 z^{18} + \\ & 85149274357043292385925033653294291853550 z^{17} + 2406893603584982960079390961 \backslash \\ & 87740586134000 z^{16} + 429409878921957648790555775268242743350000 z^{15} + 4957792250 \backslash \\ & 46771906420255540348281344800000 z^{14} + 28712136337931261687156234648446537800 \backslash \\ & 0000 z^{13} - 119682652007548350954457856750250720000000 z^{12} - 39568346559268086740 \backslash \\ & 1293480616198000000000 z^{11} - 32738346275504238594974769124082400000000 z^{10} - \\ & 86642575450501391066787202019520000000000 z^9 + 59704683972170679548931977222400 \backslash \\ & 000000000 z^8 + 72511610277412390990839363072000000000000 z^7 + 338828967558720719 \backslash \\ & 568862617600000000000000 z^6 + 6311156771304917325766656000000000000000 z^5 + 51232 \backslash \\ & 3021813756999680000000000000000000 z^4) Dz^6 + \end{aligned}$$

Face-Centered Cubic Lattices ($d = 6$)

[Koutschan 2013]

$$\begin{aligned} & (1600200173148416 z^{42} + 478782978712278912 z^{41} + 58815380786135567104 z^{40} + \\ & 4218590040421804170816 z^{39} + 204216444469816446653424 z^{38} + 7214118 \backslash \\ & 624119937529541160 z^{37} + 195106070712453547506798168 z^{36} + 416887031952436819753 \backslash \\ & 3959000 z^{35} + 71874412795312940511795668940 z^{34} + 101352803991324920736784237 \backslash \\ & 8270 z^{33} + 11775924181048893848357395670676 z^{32} + 11286205581821339235627976822 \backslash \\ & 5402 z^{31} + 886340494836475569866741139358344 z^{30} + 55926759731865674372797336853 \backslash \\ & 51646 z^{29} + 26983635759333711243427828354079724 z^{28} + 85059388463264142313662526 \backslash \\ & 542420618 z^{27} + 24816956833181644480403313150735864 z^{26} - 1739731529923503295984 \backslash \\ & 796806526752758 z^{25} - 13215685421423157401833903137021991092 z^{24} - 6010151473251 \backslash \\ & 7779329542749898893453858 z^{23} - 187406121933740017212741167478185137320 z^{22} - \\ & 367088786736715063908412462166156515566 z^{21} - 136331238303988349001415414181 \backslash \\ & 532146340 z^{20} + 2052937632229799753666758504303681446150 z^{19} + 89422208647113020 \backslash \\ & 92023950168348534856300 z^{18} + 22112779083456047399791690319673356808000 z^{17} + \\ & 36662299830964853548300895468723502480000 z^{16} + 3866393620905473995570164907678 \backslash \\ & 4708400000 z^{15} + 15575841209632684184725074680551176000000 z^{14} - 233997759271107 \backslash \\ & 78754739301057544560000000 z^{13} - 4595758184455506810833869296180720000000 z^{12} - \\ & 32525005285459811112066289505232000000000 z^{11} - 3661218292337523929046664304 \backslash \\ & 640000000000 z^{10} + 1097039530150661129281453716480000000000 z^9 + 97131124051979 \backslash \\ & 35942595533824000000000000 z^8 + 426097871942078389250377728000000000000 z^7 + \\ & 75646707912253502668800000000000000000 z^6 + 592017714095896977408000000000000 \backslash \\ & 0000 z^5) Dz^7 + \end{aligned}$$

Face-Centered Cubic Lattices ($d = 6$)

[Koutschan 2013]

$$\begin{aligned} & (27122036833024 z^{43} + 8208413201024064 z^{42} + 1028987679702510976 z^{41} + 7551845 \backslash \\ & 1137118783792 z^{40} + 3743195619381989907184 z^{39} + 135369638077546936261428 z^{38} + \\ & 3745615314367420203992832 z^{37} + 81811619367860049045984675 z^{36} + 1440466637248 \backslash \\ & 203913774334250 z^{35} + 20724331113040275023719172850 z^{34} + 2454466275416520460977 \backslash \\ & 92768214 z^{33} + 2395828801191215780780578117794 z^{32} + 191474074706731112318622494 \backslash \\ & 18166 z^{31} + 122863963621496746370188659696702 z^{30} + 6026212556484859243787006723 \backslash \\ & 31054 z^{29} + 1935192664301617476137337671088360 z^{28} + 694152712036783264243644290 \backslash \\ & 673234 z^{27} - 39030042885818935455901289133872622 z^{26} - 2976459628039331965648737 \backslash \\ & 33670191774 z^{25} - 1329742929728007215704002549281591538 z^{24} - 390398961482564881 \backslash \\ & 9224432657208727646 z^{23} - 6038015534019664017777438417359311914 z^{22} + 7565280951 \backslash \\ & 156009750992823479550694170 z^{21} + 83328126336960183101771239549883786325 z^{20} + \\ & 297859836972471180382017327162905955900 z^{19} + 681226694393685252017130073908 \backslash \\ & 325840500 z^{18} + 1055504316932586226613390044310017920000 z^{17} + 97498262514411065 \backslash \\ & 4834660688990434600000 z^{16} + 80921481727424794623135930623472000000 z^{15} - 124569 \backslash \\ & 2778975371208980497936649580000000 z^{14} - 187761297216604654284152589154800000 \backslash \\ & 0000 z^{13} - 1186201691981014544058180007080000000000 z^{12} - 4424139263701398029187 \backslash \\ & 830400000000000 z^{11} + 52658849885502355913417731200000000000 z^{10} + 410999234738 \backslash \\ & 8340102474695680000000000000 z^9 + 17433301221381095805118464000000000000 z^8 + \\ & 29950530354743793153638400000000000000 z^7 + 22769912080611422208000000000000 \backslash \\ & 0000 z^6) Dz^8 \end{aligned}$$

order 8, degree 43, 43-digit coefficients

Walks with Small Steps in the Quarter Plane

[Bostan & Kauers '09; Melczer & Wilson '16; Bostan, Chyzak, van Hoeij, Kauers & Pech '17]


	OEIS	\mathfrak{S}	alg	asympt		OEIS	\mathfrak{S}	alg	asympt
1	A005566		N	$\frac{4}{\pi} \frac{4^n}{n}$	13	A151275		N	$\frac{12\sqrt{30}}{\pi} \frac{(2\sqrt{6})^n}{n^2}$
2	A018224		N	$\frac{2}{\pi} \frac{4^n}{n}$	14	A151314		N	$\frac{\sqrt{6}\lambda\mu C^{5/2}}{5\pi} \frac{(2C)^n}{n^2}$
3	A151312		N	$\frac{\sqrt{6}}{\pi} \frac{6^n}{n}$	15	A151255		N	$\frac{24\sqrt{2}}{\pi} \frac{(2\sqrt{2})^n}{n^2}$
4	A151331		N	$\frac{8}{3\pi} \frac{8^n}{n}$	16	A151287		N	$\frac{2\sqrt{2}A^{7/2}}{\pi} \frac{(2A)^n}{n^2}$
5	A151266		N	$\frac{1}{2} \sqrt{\frac{3}{\pi}} \frac{3^n}{n^{1/2}}$	17	A001006		Y	$\frac{3}{2} \sqrt{\frac{3}{\pi}} \frac{3^n}{n^{3/2}}$
6	A151307		N	$\frac{1}{2} \sqrt{\frac{5}{2\pi}} \frac{5^n}{n^{1/2}}$	18	A129400		Y	$\frac{3}{2} \sqrt{\frac{3}{\pi}} \frac{6^n}{n^{3/2}}$
7	A151291		N	$\frac{4}{3\sqrt{\pi}} \frac{4^n}{n^{1/2}}$	19	A005558		N	$\frac{8}{\pi} \frac{4^n}{n^2}$
8	A151326		N	$\frac{2}{\sqrt{3\pi}} \frac{6^n}{n^{1/2}}$					
9	A151302		N	$\frac{1}{3} \sqrt{\frac{5}{2\pi}} \frac{5^n}{n^{1/2}}$	20	A151265		Y	$\frac{2\sqrt{2}}{\Gamma(1/4)} \frac{3^n}{n^{3/4}}$
10	A151329		N	$\frac{1}{3} \sqrt{\frac{7}{3\pi}} \frac{7^n}{n^{1/2}}$	21	A151278		Y	$\frac{3\sqrt{3}}{\sqrt{2}\Gamma(1/4)} \frac{3^n}{n^{3/4}}$
11	A151261		N	$\frac{12\sqrt{3}}{\pi} \frac{(2\sqrt{3})^n}{n^2}$	22	A151323		Y	$\frac{\sqrt{23}^{3/4}}{\Gamma(1/4)} \frac{6^n}{n^{3/4}}$
12	A151297		N	$\frac{\sqrt{3}B^{7/2}}{2\pi} \frac{(2B)^n}{n^2}$	23	A060900		Y	$\frac{4\sqrt{3}}{3\Gamma(1/3)} \frac{4^n}{n^{2/3}}$

$$A = 1 + \sqrt{2}, B = 1 + \sqrt{3}, C = 1 + \sqrt{6}, \lambda = 7 + 3\sqrt{6}, \mu = \sqrt{\frac{4\sqrt{6}-1}{19}}$$

SageMath

```
edit View Insert Cell Kernel Widgets Help
-----
600*x^110 - 137407211409679923128135383927669763465
13610400*x^109 + 1559971179062058497986428478937329
7732761923800*x^108 - 17446626867639525182103117883
081578533678268000*x^107 + 192222900155372324904262
18962062629839085485600*x^106 - 2086445068348055357
2922009760653733496190395680*x^105 + 22311302031920
306373435304778978202400250140125*x^104 - 235052838
13331333511861363340046956976298887700*x^103 + 2439
i [39]: i = CBF(i)
        CBF.integral(lambda x, : airy_ai(x)*sin(i*x)
                    | -1-10*i, -1+10*i)
rt[39]: [-2408247.640173 +/- 3.19e-7] + [+/- 6.13e-8]*I
i [42]: StandardTableaux(4)[2]
rt[42]: 

|   |   |   |
|---|---|---|
| 1 | 2 | 4 |
| 3 |   |   |


i [41]: f = (lambda u,v: cos(u),
            lambda u,v: cos(v)+sin(u),
            lambda u,v: sin(v))
        parametric_plot3d(f, (0,2*pi), (-pi,pi))
rt[41]: 
```

- ▶ Python library
- ▶ “A viable alternative to Magma, Maple, Mathematica and Matlab”
- ▶ Based on many pre-existing systems and libraries



<http://sagemath.org/>

GNU GPL v2+



<http://ask.sagemath.org/>



<http://cocalc.com/>

```
sage: from ore_algebra import OreAlgebra
sage: Pols.<z> = QQ[]; DiffOps.<Dz> = OreAlgebra(Pols)
sage: DiffOps
```

Features: Euclidean arithmetic, closure properties, formal solutions, desingularization, first-order factors, guessing...

This talk: **Numerical analytic continuation** of solutions of **univariate differential operators**



<http://kauers.de/software.html>

GNU GPL v2+

https://github.com/mkauers/ore_algebra/



https://marc.mezzarobba.net/code/ore_algebra-analytic/

```
sage: from ore_algebra import OreAlgebra
sage: Pols.<z> = QQ[]; DiffOps.<Dz> = OreAlgebra(Pols)
sage: DiffOps
Univariate Ore algebra in Dz over Univariate Polynomial Ring in z
over Rational Field
```

Features: Euclidean arithmetic, closure properties, formal solutions, desingularization, first-order factors, guessing...

This talk: **Numerical analytic continuation** of solutions of **univariate differential operators**



<http://kauers.de/software.html>

GNU GPL v2+

https://github.com/mkauers/ore_algebra/



https://marc.mezzarobba.net/code/ore_algebra-analytic/

Analytic Continuation

$$\mathcal{L} = a_r(z) Dz^r + \cdots + a_1(z) Dz + a_0(z)$$




Analytic Continuation

$$\mathcal{L} = a_r(z) Dz^r + \cdots + a_1(z) Dz + a_0(z)$$




Analytic Continuation

$$\mathcal{L} = a_r(z) Dz^r + \cdots + a_1(z) Dz + a_0(z)$$




Analytic Continuation

$$\mathcal{L} = a_r(z) Dz^r + \cdots + a_1(z) Dz + a_0(z)$$




Analytic Continuation

$$\mathcal{L} = a_r(z) Dz^r + \dots + a_1(z) Dz + a_0(z)$$




Analytic Continuation

$$\mathcal{L} = a_r(z) Dz^r + \dots + a_1(z) Dz + a_0(z)$$



Regular Singular Points

$$z^2 y''(z) + z y'(z) + (z^2 - \nu^2) y(z) = 0 \quad (\text{Bessel eq.})$$

 **regular singular point** at 0

✓ $z^{-3/2} \log z$

✓ $z^{i\sqrt{2}}$

✗ $e^{\pm 1/z}$

Theorem

[Fuchs, 1866]


Assume that 0 is a regular singular point. Then, for some neighborhood D of 0, there exists a basis of solutions defined on $D \setminus \{0\}$ of the form

$$z^\lambda (y_0(z) + y_1(z) \log z + \cdots + y_t(z) \log^t z), \quad \lambda \in \bar{\mathbb{Q}}, \quad y_i \text{ analytic on } D.$$

“Canonical” basis: $\left[z^\nu \frac{\log^k z}{k!} \right]^\nu$, ν root of mult. $> k$ of indicial polynomial


Initial Conditions at Regular Singular Points

$$\mathcal{L} = z Dz^2 + Dz + z$$




Initial Conditions at Regular Singular Points

$$\mathcal{L} = z Dz^2 + Dz + z$$



Initial Conditions at Regular Singular Points

$$\mathcal{L} = z Dz^2 + Dz + z$$




$$f_0(z) = 1 \cdot \log(z) + 0 \cdot 1 + \tilde{O}(z)$$

$$f_1(z) = 0 \cdot \log(z) + 1 \cdot 1 + \tilde{O}(z)$$

$$y = \alpha_0 \log(z) + \alpha_1 + \tilde{O}(z) \Rightarrow y = \alpha_0 f_0 + \alpha_1 f_1$$


Initial Conditions at Regular Singular Points

$$\mathcal{L} = z Dz^2 + Dz + z$$



Initial Conditions at Regular Singular Points

$$\mathcal{L} = z Dz^2 + Dz + z$$



Face-Centered Cubic Lattices ($d = 4$)


[Koutschan 2013]

$$P(z) = \frac{1}{\pi^4} \int \dots \int_{[0, \pi]^4} \frac{dk_1 dk_2 dk_3 dk_4}{1 - \frac{1}{6}(\cos k_1 \cos k_2 + \cos k_1 \cos k_3 + \dots + \cos k_3 \cos k_4)} z$$

$$\begin{aligned} \mathcal{L} = & (-1 + z) z^3 (2+z) (3+z) (6+z) (8+z) (4+3z)^2 Dz^4 \\ & + 2z^2 (4+3z) (-3456 - 2304z + 3676z^2 + 4920z^3 \\ & \quad + 2079z^4 + 356z^5 + 21z^6) Dz^3 \\ & + 6z (-5376 - 5248z + 11080z^2 + 25286z^3 \\ & \quad + 19898z^4 + 7432z^5 + 1286z^6 + 81z^7) Dz^2 \\ & + 12 (-384 + 224z + 3716z^2 + 7633z^3 + 6734z^4 \\ & \quad + 2939z^5 + 604z^6 + 45z^7) Dz \\ & + 12z (256 + 632z + 702z^2 + 382z^3 + 98z^4 + 9z^5) \end{aligned}$$

$$\mathcal{L} \cdot P = 0$$

$$\text{r.p.} = 1 - \frac{1}{P(1)}$$



Walks with Small Steps in the Quarter Plane


[Bostan & Kauers '09; Melczer & Wilson '16; Bostan, Chyzak, van Hoeij, Kauers & Pech '17]

	OEIS	\mathfrak{S}	alg	asympt		OEIS	\mathfrak{S}	alg	asympt
1	A005566		N	$\frac{4}{\pi} \frac{4^n}{n}$	13	A151275		N	$\frac{12\sqrt{30}}{\pi} \frac{(2\sqrt{6})^n}{n^2}$
2	A018224		N	$\frac{2}{\pi} \frac{4^n}{n}$	14	A151314		N	$\frac{\sqrt{6}\lambda\mu C^{5/2}}{5\pi} \frac{(2C)^n}{n^2}$
3	A151312		N	$\frac{\sqrt{6}}{\pi} \frac{6^n}{n}$	15	A151255		N	$\frac{24\sqrt{2}}{\pi} \frac{(2\sqrt{2})^n}{n^2}$
4	A151331		N	$\frac{8}{3\pi} \frac{8^n}{n}$	16	A151287		N	$\frac{2\sqrt{2}A^{7/2}}{\pi} \frac{(2A)^n}{n^2}$
5	A151266		N	$\frac{1}{2} \sqrt{\frac{3}{\pi}} \frac{3^n}{n^{1/2}}$	17	A001006		Y	$\frac{3}{2} \sqrt{\frac{3}{\pi}} \frac{3^n}{n^{3/2}}$
6	A151307		N	$\frac{1}{2} \sqrt{\frac{5}{2\pi}} \frac{5^n}{n^{1/2}}$	18	A129400		Y	$\frac{3}{2} \sqrt{\frac{3}{\pi}} \frac{6^n}{n^{3/2}}$
7	A151291		N	$\frac{4}{3\sqrt{\pi}} \frac{4^n}{n^{1/2}}$	19	A005558		N	$\frac{8}{\pi} \frac{4^n}{n^2}$
8	A151326		N	$\frac{2}{\sqrt{3\pi}} \frac{6^n}{n^{1/2}}$					
9	A151302		N	$\frac{1}{3} \sqrt{\frac{5}{2\pi}} \frac{5^n}{n^{1/2}}$	20	A151265		Y	$\frac{2\sqrt{2}}{\Gamma(1/4)} \frac{3^n}{n^{3/4}}$
10	A151329		N	$\frac{1}{3} \sqrt{\frac{7}{3\pi}} \frac{7^n}{n^{1/2}}$	21	A151278		Y	$\frac{3\sqrt{3}}{\sqrt{2}\Gamma(1/4)} \frac{3^n}{n^{3/4}}$
11	A151261		N	$\frac{12\sqrt{3}}{\pi} \frac{(2\sqrt{3})^n}{n^2}$	22	A151323		Y	$\frac{\sqrt{23}^{3/4}}{\Gamma(1/4)} \frac{6^n}{n^{3/4}}$
12	A151297		N	$\frac{\sqrt{3}B^{7/2}}{2\pi} \frac{(2B)^n}{n^2}$	23	A060900		Y	$\frac{4\sqrt{3}}{3\Gamma(1/3)} \frac{4^n}{n^{2/3}}$


© A. Bostan

$$A = 1 + \sqrt{2}, B = 1 + \sqrt{3}, C = 1 + \sqrt{6}, \lambda = 7 + 3\sqrt{6}, \mu = \sqrt{\frac{4\sqrt{6}-1}{19}}$$


Transition Matrices




Transition Matrices




Transition Matrices




Transition Matrices



Transition Matrices



Transition Matrices





Summary

What it is: an extension of ore_algebra written in/for SageMath

What it does: numerical analytic continuation & singular connection, for arbitrary D-finite functions, with rigorous error bounds

How it works: Taylor series, analytic continuation, recurrences, adaptive majorants, ball arithmetic



Code available at

https://github.com/mkauers/ore_algebra/

https://marc.mezzarobba.net/code/ore_algebra-analytic/



Perspectives

Faster algorithms, lower-level code,

D-finite functions as objects,

irregular singular connection problems...

Bug reports, feature requests, examples welcome!

Image Credits

- ▶ “Work in progress” icon from https://commons.wikimedia.org/wiki/File:Work_in_progress_icon.svg

Copyright © Sławek Borewicz, licensed under the following terms:

This work is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; version 2. This work is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the version 2 of the GNU General Public License for more details.

- ▶ Other icons used in this document are from the Oxygen icon set (<http://www.kde.org/>). They can be copied under the GNU LGPLv3 (<http://www.gnu.org/copyleft/lesser.html>).

See also <https://techbase.kde.org/Projects/Oxygen/>.

- ▶ Face centered cubic crystal structure from https://commons.wikimedia.org/wiki/File:Lattice_face_centered_cubic.svg

Copyright © Baszoetekouw, licensed under the following terms:

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.*
- 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.*
- 3. Neither the name of Baszoetekouw nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.*

THIS SOFTWARE IS PROVIDED BY BASZOETEKOUW "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL BASZOETEKOUW BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.