

References for Appendix 2 Database

- Akyildiz, M., U. Gowik, S. Engelmann, M. Koczor, M. Streubel, and P. Westhoff. 2007. Evolution and function of a cis-regulatory module for mesophyll-specific gene expression in the C4 dicot *Flaveria trinervia*. *Plant Cell* 19:3391-3402. PMID: 17993624
- Alout, H., A. Berthomieu, F. Cui, Y. Tan, C. Berticat, C. Qiao, and M. Weill. 2007. Different amino-acid substitutions confer insecticide resistance through acetylcholinesterase 1 insensitivity in *Culex vishnui* and *Culex tritaeniorhynchus* (Diptera: Culicidae) from China. *J Med Entomol* 44:463-469. PMID: 17547232
- Anstead, J. A., M. S. Williamson, I. Eleftherianos, and I. Denholm. 2004. High-throughput detection of knockdown resistance in *Myzus persicae* using allelic discriminating quantitative PCR. *Insect Biochem Mol Biol* 34:871-877. PMID: 15262290
- Anthony, N., T. Unruh, D. Ganser, and R. French-Constant. 1998. Duplication of the Rdl GABA receptor subunit gene in an insecticide-resistant aphid, *Myzus persicae*. *Mol Gen Genet* 260:165-175. PMID: 9862468
- Anthony, N. N., J. K. Brown, P. G. Markham, and R. H. French-Constant. 1995. Molecular analysis of cyclodiene resistance-associated mutations among populations of sweetpotato whitefly *Bemisia tabaci*. *Pestic. Biochem. Physiol.* 51:220-228.
- Ashikari, M., H. Sakakibara, S. Lin, T. Yamamoto, T. Takashi, A. Nishimura, E. R. Angeles, Q. Qian, H. Kitano, and M. Matsuoka. 2005. Cytokinin oxidase regulates rice grain production. *Science (New York, N.Y)* 309:741-745. PMID: 15976269
- Aukerman, M. J., M. Hirschfeld, L. Wester, M. Weaver, T. Clack, R. M. Amasino, and R. A. Sharrock. 1997. A deletion in the PHYD gene of the Arabidopsis Wassilewskija ecotype defines a role for phytochrome D in red/far-red light sensing. *Plant Cell* 9:1317-1326. PMID: 9286109
- Baiao, P. C., E. Schreiber, and P. G. Parker. 2007. The Genetic Basis of the Plumage Polymorphism in Red-Footed Boobies (*Sula sula*): a Melanocortin-1 Receptor (MC1R) Analysis. *J Hered* 98:287-292. PMID: 17602182
- Balasubramanian, S., S. Sureshkumar, M. Agrawal, T. P. Michael, C. Wessinger, J. N. Maloof, R. Clark, N. Warthmann, J. Chory, and D. Weigel. 2006. The PHYTOCHROME C photoreceptor gene mediates natural variation in flowering and growth responses of *Arabidopsis thaliana*. *Nat Genet* 38:711-715. PMID: 16732287
- Bass, C., I. Schroeder, A. Turberg, L. M. Field, and M. S. Williamson. 2004. Identification of the Rdl mutation in laboratory and field strains of the cat flea, *Ctenocephalides felis* (Siphonaptera: Pulicidae). *Pest Manag Sci* 60:1157-1162. PMID: 15578595
- Belting, H. G., C. S. Shashikant, and F. H. Ruddle. 1998. Modification of expression and cis-regulation of Hoxc8 in the evolution of diverged axial morphology.

- Proceedings of the National Academy of Sciences of the United States of America 95:2355-2360. PMID: 9482889
- Bentsink, L., J. Jowett, C. J. Hanhart, and M. Koornneef. 2006. Cloning of DOG1, a quantitative trait locus controlling seed dormancy in Arabidopsis. Proceedings of the National Academy of Sciences of the United States of America 103:17042-17047. PMID: 17065317
- Berg, F., U. Gustafson, and L. Andersson. 2006. The uncoupling protein 1 gene (UCP1) is disrupted in the pig lineage: a genetic explanation for poor thermoregulation in piglets. PLoS Genet 2:e129. PMID: 16933999
- Berryere, T. G., J. A. Kerns, G. S. Barsh, and S. M. Schmutz. 2005. Association of an Agouti allele with fawn or sable coat color in domestic dogs. Mamm Genome 16:262-272. PMID: 15965787
- Bhattacharyya, M. K., A. M. Smith, T. H. Ellis, C. Hedley, and C. Martin. 1990. The wrinkled-seed character of pea described by Mendel is caused by a transposon-like insertion in a gene encoding starch-branching enzyme. Cell 60:115-122. PMID: 2153053
- Bhave, M. R., S. Lawrence, C. Barton, and L. C. Hannah. 1990. Identification and molecular characterization of shrunken-2 cDNA clones of maize. Plant Cell 2:581-588. PMID: 1967077
- Blasing, O. E., P. Westhoff, and P. Svensson. 2000. Evolution of C4 phosphoenolpyruvate carboxylase in Flaveria, a conserved serine residue in the carboxyl-terminal part of the enzyme is a major determinant for C4-specific characteristics. J Biol Chem 275:27917-27923. PMID: 10871630
- Bonilla, C., L. A. Boxill, S. A. Donald, T. Williams, N. Sylvester, E. J. Parra, S. Dios, H. L. Norton, M. D. Shriver, and R. A. Kittles. 2005. The 8818G allele of the agouti signaling protein (ASIP) gene is ancestral and is associated with darker skin color in African Americans. Hum Genet 116:402-406. PMID: 15726415
- Boss, P. K., and M. R. Thomas. 2002. Association of dwarfism and floral induction with a grape 'green revolution' mutation. Nature 416:847-850. PMID: 11976683
- Botto, J. F., C. Alonso-Blanco, I. Garzaron, R. A. Sanchez, and J. J. Casal. 2003. The Cape Verde Islands allele of cryptochrome 2 enhances cotyledon unfolding in the absence of blue light in Arabidopsis. Plant Physiol 133:1547-1556. PMID: 14605225
- Box, N. F., J. R. Wyeth, L. E. O'Gorman, N. G. Martin, and R. A. Sturm. 1997. Characterization of melanocyte stimulating hormone receptor variant alleles in twins with red hair. Hum Mol Genet 6:1891-1897. PMID: 9302268
- Bricelj, V. M., L. Connell, K. Konoki, S. P. Macquarrie, T. Scheuer, W. A. Catterall, and V. L. Trainer. 2005. Sodium channel mutation leading to saxitoxin resistance in clams increases risk of PSP. Nature 434:763-767. PMID: 15815630
- Brooks, S. A., and E. Bailey. 2005. Exon skipping in the KIT gene causes a Sabino spotting pattern in horses. Mamm Genome 16:893-902. PMID: 16284805
- Cai, D., M. Kleine, S. Kifle, H. J. Harloff, N. N. Sandal, K. A. Marcker, R. M. Klein-Lankhorst, E. M. Salentijn, W. Lange, W. J. Stiekema, U. Wyss, F. M. Grundler,

- and C. Jung. 1997. Positional cloning of a gene for nematode resistance in sugar beet. *Science* (New York, N.Y 275:832-834. PMID: 9012350
- Campbell, P. M., R. D. Newcomb, R. J. Russell, and J. G. Oakeshott. 1998. Two different amino acid substitutions in the ali-esterase, E3, confer alternative types of organophosphorus insecticide resistance in the sheep blowfly, *Lucilia cuprina*. *Insect Biochemistry and Molecular Biology* 28:139-150.
- Candille, S. I., C. B. Kaelin, B. M. Cattanach, B. Yu, D. A. Thompson, M. A. Nix, J. A. Kerns, S. M. Schmutz, G. L. Millhauser, and G. S. Barsh. 2007. A -defensin mutation causes black coat color in domestic dogs. *Science* (New York, N.Y 318:1418-1423. PMID: 17947548
- Chan, T., M. Lee, and T. P. Sakmar. 1992. Introduction of hydroxyl-bearing amino acids causes bathochromic spectral shifts in rhodopsin. Amino acid substitutions responsible for red-green color pigment spectral tuning. *J Biol Chem* 267:9478-9480. PMID: 1577792
- Chen, K. Y., B. Cong, R. Wing, J. Vrebalov, and S. D. Tanksley. 2007. Changes in regulation of a transcription factor lead to autogamy in cultivated tomatoes. *Science* (New York, N.Y 318:643-645. PMID: 17962563
- Chintamanani, S., D. S. Multani, H. Ruess, and G. S. Johal. 2008. Distinct mechanisms govern the dosage-dependent and developmentally regulated resistance conferred by the maize Hm2 gene. *Mol Plant Microbe Interact* 21:79-86. PMID: 18052885
- Choudhary, M., and C. C. Laurie. 1991. Use of in vitro mutagenesis to analyze the molecular basis of the difference in Adh expression associated with the allozyme polymorphism in *Drosophila melanogaster*. *Genetics* 129:481-488. PMID: 1743488
- Chung, H., M. R. Bogwitz, C. McCart, A. Andrianopoulos, R. H. Ffrench-Constant, P. Batterham, and P. J. Daborn. 2007. Cis-regulatory elements in the Accord retrotransposon result in tissue-specific expression of the *Drosophila melanogaster* insecticide resistance gene Cyp6g1. *Genetics* 175:1071-1077. PMID: 17179088
- Clark, R. M., T. N. Wagler, P. Quijada, and J. Doebley. 2006. A distant upstream enhancer at the maize domestication gene *tb1* has pleiotropic effects on plant and inflorescent architecture. *Nat Genet* 38:594-597. PMID: 16642024
- Claudianos, C., R. J. Russell, and J. G. Oakeshott. 1999. The same amino acid substitution in orthologous esterases confers organophosphate resistance on the house fly and a blowfly. *Insect Biochem Mol Biol* 29:675-686. PMID: 10451921
- Clop, A., F. Marcq, H. Takeda, D. Pirottin, X. Tordo, B. Bibe, J. Bouix, F. Caiment, J. M. Elsen, F. Eychenne, C. Larzul, E. Laville, F. Meish, D. Milenkovic, J. Tobin, C. Charlier, and M. Georges. 2006. A mutation creating a potential illegitimate microRNA target site in the myostatin gene affects muscularity in sheep. *Nat Genet* 38:813-818. PMID: 16751773
- Colosimo, P. F., K. E. Hosemann, S. Balabhadra, G. Villarreal, Jr., M. Dickson, J. Grimwood, J. Schmutz, R. M. Myers, D. Schluter, and D. M. Kingsley. 2005. Widespread parallel evolution in sticklebacks by repeated fixation of Ectodysplasin alleles. *Science* (New York, N.Y 307:1928-1933. PMID: 15790847

- Cone, R. D., D. Lu, S. Koppula, D. I. Vage, H. Klungland, B. Boston, W. Chen, D. N. Orth, C. Pouton, and R. A. Kesterson. 1996. The melanocortin receptors: agonists, antagonists, and the hormonal control of pigmentation. *Recent Prog Horm Res* 51:287-317; discussion 318. PMID: 8701084
- Cretekos, C. J., Y. Wang, E. D. Green, J. F. Martin, J. J. t. Rasweiler, and R. R. Behringer. 2008. Regulatory divergence modifies limb length between mammals. *Genes Dev* 22:141-151. PMID: 18198333
- Cubas, P., C. Vincent, and E. Coen. 1999. An epigenetic mutation responsible for natural variation in floral symmetry. *Nature* 401:157-161. PMID: 10490023
- Dallerac, R., C. Labeur, J. M. Jallon, D. C. Knipple, W. L. Roelofs, and C. Wicker-Thomas. 2000. A delta 9 desaturase gene with a different substrate specificity is responsible for the cuticular diene hydrocarbon polymorphism in *Drosophila melanogaster*. *Proceedings of the National Academy of Sciences of the United States of America* 97:9449-9454. PMID: 10920187
- de Bono, M., and C. I. Bargmann. 1998. Natural variation in a neuropeptide Y receptor homolog modifies social behavior and food response in *C. elegans*. *Cell* 94:679-689. PMID: 9741632
- Dixon, M. S., K. Hatzixanthis, D. A. Jones, K. Harrison, and J. D. Jones. 1998. The tomato Cf-5 disease resistance gene and six homologs show pronounced allelic variation in leucine-rich repeat copy number. *Plant Cell* 10:1915-1925. PMID: 9811798
- Dixon, M. S., D. A. Jones, J. S. Keddie, C. M. Thomas, K. Harrison, and J. D. Jones. 1996. The tomato Cf-2 disease resistance locus comprises two functional genes encoding leucine-rich repeat proteins. *Cell* 84:451-459. PMID: 8608599
- Doi, K., T. Izawa, T. Fuse, U. Yamanouchi, T. Kubo, Z. Shimatani, M. Yano, and A. Yoshimura. 2004. Ehd1, a B-type response regulator in rice, confers short-day promotion of flowering and controls FT-like gene expression independently of Hd1. *Genes Dev* 18:926-936. PMID: 15078816
- Dong, K. 1997. A single amino acid change in the para sodium channel protein is associated with knockdown-resistance (kdr) to pyrethroid insecticides in German cockroach. *Insect Biochem Mol Biol* 27:93-100. PMID: 9066120
- Doucet, S. M., M. D. Shawkey, M. K. Rathburn, H. L. Mays, Jr., and R. Montgomerie. 2004. Concordant evolution of plumage colour, feather microstructure and a melanocortin receptor gene between mainland and island populations of a fairy-wren. *Proc Biol Sci* 271:1663-1670. PMID: 15306285
- Du, J., and D. E. Fisher. 2002. Identification of Aim-1 as the underwhite mouse mutant and its transcriptional regulation by MITF. *J Biol Chem* 277:402-406. PMID: 11700328
- Du, W., T. S. Awolola, P. Howell, L. L. Koekemoer, B. D. Brooke, M. Q. Benedict, M. Coetzee, and L. Zheng. 2005. Independent mutations in the Rdl locus confer dieldrin resistance to *Anopheles gambiae* and *An. arabiensis*. *Insect Mol Biol* 14:179-183. PMID: 15796751

- Eizirik, E., N. Yuhki, W. E. Johnson, M. Menotti-Raymond, S. S. Hannah, and S. J. O'Brien. 2003. Molecular genetics and evolution of melanism in the cat family. *Curr Biol* 13:448-453. PMID: 12620197
- El-Assal, S. E.-D., C. Alonso-Blanco, C. J. Hanhart, and M. Koornneef. 2004. Pleiotropic effects of the *Arabidopsis* cryptochrome 2 allelic variation underlie fruit trait-related QTL. *Plant Biol (Stuttg)* 6:370-374. PMID: 15248119
- El-Assal, S. E.-D., C. Alonso-Blanco, A. J. Peeters, V. Raz, and M. Koornneef. 2001. A QTL for flowering time in *Arabidopsis* reveals a novel allele of CRY2. *Nat Genet* 29:435-440. PMID: 11726930
- Enattah, N. S., T. Sahi, E. Savilahti, J. D. Terwilliger, L. Peltonen, and I. Jarvela. 2002. Identification of a variant associated with adult-type hypolactasia. *Nat Genet* 30:233-237. PMID: 11788828
- Engelmann, S., O. E. Blasing, U. Gowik, P. Svensson, and P. Westhoff. 2003. Molecular evolution of C4 phosphoenolpyruvate carboxylase in the genus *Flaveria*--a gradual increase from C3 to C4 characteristics. *Planta* 217:717-725. PMID: 12811556
- Everts, R. E., J. Rothuizen, and B. A. van Oost. 2000. Identification of a premature stop codon in the melanocyte-stimulating hormone receptor gene (MC1R) in Labrador and Golden retrievers with yellow coat colour. *Anim Genet* 31:194-199. PMID: 10895310
- Fan, C., Y. Xing, H. Mao, T. Lu, B. Han, C. Xu, X. Li, and Q. Zhang. 2006. GS3, a major QTL for grain length and weight and minor QTL for grain width and thickness in rice, encodes a putative transmembrane protein. *Theor Appl Genet* 112:1164-1171. PMID: 16453132
- ffrench-Constant, R. H., T. A. Rocheleau, J. C. Steichen, and A. E. Chalmers. 1993. A point mutation in a *Drosophila* GABA receptor confers insecticide resistance. *Nature* 363:449-451. PMID: 8389005
- ffrench-Constant, R. H., J. C. Steichen, and L. O. Brun. 1994. A molecular diagnostic for endosulfan insecticide resistance in the coffee berry borer *Hypothenemus hampei* (Coleoptera: Scolytidae). *Bull. Ent. Res.* 84:11-16.
- ffrench-Constant, R. H., J. C. Steichen, T. A. Rocheleau, K. Aronstein, and R. T. Roush. 1993. A single-amino acid substitution in a gamma-aminobutyric acid subtype A receptor locus is associated with cyclodiene insecticide resistance in *Drosophila* populations. *Proceedings of the National Academy of Sciences of the United States of America* 90:1957-1961. PMID: 8095336
- Field, L. M., A. L. Devonshire, and B. G. Forde. 1988. Molecular evidence that insecticide resistance in peach-potato aphids (*Myzus persicae* Sulz.) results from amplification of an esterase gene. *Biochem J* 251:309-312. PMID: 3390158
- Filiault, D. L., C. A. Wessinger, J. R. Dinneny, J. Lutes, J. O. Borevitz, D. Weigel, J. Chory, and J. N. Maloof. 2008. Amino acid polymorphisms in *Arabidopsis* phytochrome B cause differential responses to light. *Proceedings of the National Academy of Sciences of the United States of America* 105:3157-3162. PMID: 18287016

- Fontanesi, L., M. Tazzoli, F. Beretti, and V. Russo. 2006. Mutations in the melanocortin 1 receptor (MC1R) gene are associated with coat colours in the domestic rabbit (*Oryctolagus cuniculus*). *Anim Genet* 37:489-493. PMID: 16978179
- Fournier, D., J. M. Bride, F. Hoffmann, and F. Karch. 1992. Acetylcholinesterase. Two types of modifications confer resistance to insecticide. *J Biol Chem* 267:14270-14274. PMID: 1629220
- Frances, H., J. Bligh, P. D. Larkin, P. S. Roach, C. A. Jones, H. Fu, and W. D. Park. 1998. Use of alternate splice sites in granule-bound starch synthase mRNA from low-amylose rice varieties. *Plant Mol Biol* 38:407-415. PMID: 9747848
- Frandsberg, P. A., M. Doufexis, S. Kapas, and V. Chhajlani. 1998. Human pigmentation phenotype: a point mutation generates nonfunctional MSH receptor. *Biochem Biophys Res Commun* 245:490-492. PMID: 9571181
- Frary, A., T. C. Nesbitt, S. Grandillo, E. Knaap, B. Cong, J. Liu, J. Meller, R. Elber, K. B. Alpert, and S. D. Tanksley. 2000. fw2.2: a quantitative trait locus key to the evolution of tomato fruit size. *Science (New York, N.Y)* 289:85-88. PMID: 10884229
- Freking, B. A., S. K. Murphy, A. A. Wylie, S. J. Rhodes, J. W. Keele, K. A. Leymaster, R. L. Jirtle, and T. P. Smith. 2002. Identification of the single base change causing the callipyge muscle hypertrophy phenotype, the only known example of polar overdominance in mammals. *Genome Res* 12:1496-1506. PMID: 12368241
- Fridman, E., F. Carrari, Y. S. Liu, A. R. Fernie, and D. Zamir. 2004. Zooming in on a quantitative trait for tomato yield using interspecific introgressions. *Science (New York, N.Y)* 305:1786-1789. PMID: 15375271
- Galloway, S. M., K. P. McNatty, L. M. Cambridge, M. P. Laitinen, J. L. Juengel, T. S. Jokiranta, R. J. McLaren, K. Luiro, K. G. Dodds, G. W. Montgomery, A. E. Beattie, G. H. Davis, and O. Ritvos. 2000. Mutations in an oocyte-derived growth factor gene (BMP15) cause increased ovulation rate and infertility in a dosage-sensitive manner. *Nat Genet* 25:279-283. PMID: 10888873
- Gazzani, S., A. R. Gendall, C. Lister, and C. Dean. 2003. Analysis of the molecular basis of flowering time variation in *Arabidopsis* accessions. *Plant Physiol* 132:1107-1114. PMID: 12805638
- Geffeney, S. L., E. Fujimoto, E. D. Brodie, 3rd, E. D. Brodie, Jr., and P. C. Ruben. 2005. Evolutionary diversification of TTX-resistant sodium channels in a predator-prey interaction. *Nature* 434:759-763. PMID: 15815629
- Georges, M., C. Charlier, and N. Cockett. 2003. The callipyge locus: evidence for the trans interaction of reciprocally imprinted genes. *Trends Genet* 19:248-252. PMID: 12711215
- Gibert, J. M., S. Marcellini, J. R. David, C. Schlotterer, and P. Simpson. 2005. A major bristle QTL from a selected population of *Drosophila* uncovers the zinc-finger transcription factor *poils-au-dos*, a repressor of *achaete-scute*. *Dev Biol* 288:194-205. PMID: 16216235
- Giovannoni, J. J., E. N. Noensie, D. M. Ruezinsky, X. Lu, S. L. Tracy, M. W. Ganai, G. B. Martin, K. Pillen, K. Alpert, and S. D. Tanksley. 1995. Molecular genetic analysis of the ripening-inhibitor and non-ripening loci of tomato: a first step in

- genetic map-based cloning of fruit ripening genes. *Mol Gen Genet* 248:195-206. PMID: 7651343
- Girardot, M., S. Guibert, M. P. Laforet, Y. Gallard, H. Larroque, and A. Oulmouden. 2006. The insertion of a full-length *Bos taurus* LINE element is responsible for a transcriptional deregulation of the Normande Agouti gene. *Pigment Cell Res* 19:346-355. PMID: 16827753
- Gompel, N., B. Prud'homme, P. J. Wittkopp, V. A. Kassner, and S. B. Carroll. 2005. Chance caught on the wing: cis-regulatory evolution and the origin of pigment patterns in *Drosophila*. *Nature* 433:481-487. PMID: 15690032
- Graf, J., R. Hodgson, and A. van Daal. 2005. Single nucleotide polymorphisms in the MATP gene are associated with normal human pigmentation variation. *Hum Mutat* 25:278-284. PMID: 15714523
- Grant, M. R., J. M. McDowell, A. G. Sharpe, M. de Torres Zabala, D. J. Lydiate, and J. L. Dangl. 1998. Independent deletions of a pathogen-resistance gene in *Brassica* and *Arabidopsis*. *Proceedings of the National Academy of Sciences of the United States of America* 95:15843-15848. PMID: 9861058
- Gratten, J., D. Beraldi, B. V. Lowder, A. F. McRae, P. M. Visscher, J. M. Pemberton, and J. Slate. 2007. Compelling evidence that a single nucleotide substitution in TYRP1 is responsible for coat-colour polymorphism in a free-living population of Soay sheep. *Proc Biol Sci* 274:619-626. PMID: 17254985
- Grisart, B., W. Coppieters, F. Farnir, L. Karim, C. Ford, P. Berzi, N. Cambisano, M. Mni, S. Reid, P. Simon, R. Spelman, M. Georges, and R. Snell. 2002. Positional candidate cloning of a QTL in dairy cattle: identification of a missense mutation in the bovine DGAT1 gene with major effect on milk yield and composition. *Genome Res* 12:222-231. PMID: 11827942
- Grobet, L., L. J. Martin, D. Poncelet, D. Pirottin, B. Brouwers, J. Riquet, A. Schoeberlein, S. Dunner, F. Menissier, J. Massabanda, R. Fries, R. Hanset, and M. Georges. 1997. A deletion in the bovine myostatin gene causes the double-muscled phenotype in cattle. *Nat Genet* 17:71-74. PMID: 9288100
- Grobet, L., D. Poncelet, L. J. Royo, B. Brouwers, D. Pirottin, C. Michaux, F. Menissier, M. Zanotti, S. Dunner, and M. Georges. 1998. Molecular definition of an allelic series of mutations disrupting the myostatin function and causing double-muscling in cattle. *Mamm Genome* 9:210-213. PMID: 9501304
- Guerrero, F. D., R. C. Jamroz, D. Kammlah, and S. E. Kunz. 1997. Toxicological and molecular characterization of pyrethroid-resistant horn flies, *Haematobia irritans*: identification of kdr and super-kdr point mutations. *Insect Biochem Mol Biol* 27:745-755. PMID: 9443375
- Guillemaud, T., M. Raymond, A. Tsagkarakou, C. Bernard, P. Rochard, and N. Pasteur. 1999. Quantitative variation and selection of esterase gene amplification in *Culex pipiens*. *Heredity* 83 (Pt 1):87-99. PMID: 10447707
- Guillemaud, T., S. Rooker, N. Pasteur, and M. Raymond. 1996. Testing the unique amplification event and the worldwide migration hypothesis of insecticide resistance genes with sequence data. *Heredity* 77 (Pt 5):535-543. PMID: 8939020

- Gunnarsson, U., A. R. Hellstrom, M. Tixier-Boichard, F. Minvielle, B. Bed'hom, S. Ito, P. Jensen, A. Rattink, A. Vereijken, and L. Andersson. 2007. Mutations in SLC45A2 cause plumage color variation in chicken and Japanese quail. *Genetics* 175:867-877. PMID: 17151254
- Haase, B., S. A. Brooks, A. Schlumbaum, P. J. Azor, E. Bailey, F. Alaeddine, M. Mevissen, D. Burger, P. A. Poncet, S. Rieder, and T. Leeb. 2007. Allelic Heterogeneity at the Equine KIT Locus in Dominant White (W) Horses. *PLoS Genet* 3:e195. PMID: 17997609
- Hanikenne, M., I. N. Talke, M. J. Haydon, C. Lanz, A. Nolte, P. Motte, J. Kroymann, D. Weigel, and U. Kramer. 2008. Evolution of metal hyperaccumulation required cis-regulatory changes and triplication of HMA4. *Nature*. PMID: 18425111
- Hanson, M. A., B. S. Gaut, A. O. Stec, S. I. Fuerstenberg, M. M. Goodman, E. H. Coe, and J. F. Doebley. 1996. Evolution of anthocyanin biosynthesis in maize kernels: the role of regulatory and enzymatic loci. *Genetics* 143:1395-1407. PMID: 8807310
- Harding, R. M., E. Healy, A. J. Ray, N. S. Ellis, N. Flanagan, C. Todd, C. Dixon, A. Sajantila, I. J. Jackson, M. A. Birch-Machin, and J. L. Rees. 2000. Evidence for variable selective pressures at MC1R. *Am J Hum Genet* 66:1351-1361. PMID: 10733465
- Hartings, H., N. Lazzaroni, V. Rossi, G. R. Riboldi, R. D. Thompson, F. Salamini, and M. Motto. 1995. Molecular analysis of opaque-2 alleles from *Zea mays* L. reveals the nature of mutational events and the presence of a hypervariable region in the 5' part of the gene. *Genet Res* 65:11-19. PMID: 7750742
- Hartley, C. J., R. D. Newcomb, R. J. Russell, C. G. Yong, J. R. Stevens, D. K. Yeates, J. La Salle, and J. G. Oakeshott. 2006. Amplification of DNA from preserved specimens shows blowflies were preadapted for the rapid evolution of insecticide resistance. *Proceedings of the National Academy of Sciences of the United States of America* 103:8757-8762. PMID: 16723400
- Hattori, T., V. Vasil, L. Rosenkrans, L. C. Hannah, D. R. McCarty, and I. K. Vasil. 1992. The Viviparous-1 gene and abscisic acid activate the C1 regulatory gene for anthocyanin biosynthesis during seed maturation in maize. *Genes Dev* 6:609-618. PMID: 1532784
- He, H., A. C. Chen, R. B. Davey, G. W. Ivie, and J. E. George. 1999. Identification of a point mutation in the para-type sodium channel gene from a pyrethroid-resistant cattle tick. *Biochem Biophys Res Commun* 261:558-561. PMID: 10441465
- Hirano, H. Y., M. Eiguchi, and Y. Sano. 1998. A single base change altered the regulation of the Waxy gene at the posttranscriptional level during the domestication of rice. *Molecular biology and evolution* 15:978-987. PMID: 9718725
- Hoekstra, H. E., R. J. Hirschmann, R. A. Bunday, P. A. Insel, and J. P. Crossland. 2006. A single amino acid mutation contributes to adaptive beach mouse color pattern. *Science (New York, N.Y)* 313:101-104. PMID: 16825572

- Izawa, T., T. Oikawa, S. Tokutomi, K. Okuno, and K. Shimamoto. 2000. Phytochromes confer the photoperiodic control of flowering in rice (a short-day plant). *Plant J* 22:391-399. PMID: 10849355
- James, M. G., D. S. Robertson, and A. M. Myers. 1995. Characterization of the maize gene *sugary1*, a determinant of starch composition in kernels. *Plant Cell* 7:417-429. PMID: 7773016
- Jeong, S., M. Rebeiz, P. Andolfatto, T. Werner, J. True, and S. B. Carroll. 2008. The Evolution of Gene Regulation Underlies a Morphological Difference between Two *Drosophila* Sister Species. *Cell* 132:783-793. PMID: 18329365
- Jeong, S., A. Rokas, and S. B. Carroll. 2006. Regulation of body pigmentation by the Abdominal-B Hox protein and its gain and loss in *Drosophila* evolution. *Cell* 125:1387-1399. PMID: 16814723
- Jessen, T. H., R. E. Weber, G. Fermi, J. Tame, and G. Braunitzer. 1991. Adaptation of bird hemoglobins to high altitudes: demonstration of molecular mechanism by protein engineering. *Proceedings of the National Academy of Sciences of the United States of America* 88:6519-6522. PMID: 1862080
- Joerg, H., H. R. Fries, E. Meijerink, and G. F. Stranzinger. 1996. Red coat color in Holstein cattle is associated with a deletion in the MSHR gene. *Mamm Genome* 7:317-318. PMID: 8661706
- Johal, G. S., and S. P. Briggs. 1992. Reductase activity encoded by the HM1 disease resistance gene in maize. *Science (New York, N.Y)* 258:985-987. PMID: 1359642
- Johanson, U., J. West, C. Lister, S. Michaels, R. Amasino, and C. Dean. 2000. Molecular analysis of FRIGIDA, a major determinant of natural variation in *Arabidopsis* flowering time. *Science (New York, N.Y)* 290:344-347. PMID: 11030654
- John, P. R., and M. Ramsay. 2002. Four novel variants in MC1R in red-haired South African individuals of European descent: S83P, Y152X, A171D, P256S. *Hum Mutat* 19:461-462. PMID: 11933208
- Kaku, K., and F. Matsumura. 1994. Identification of the site of mutation within the M2 region of the GABA receptor of the cyclodiene-resistant German cockroach. *Comp Biochem Physiol C Pharmacol Toxicol Endocrinol* 108:367-376. PMID: 7881806
- Kammenga, J. E., A. Doroszuk, J. A. Riksen, E. Hazendonk, L. Spiridon, A. J. Petrescu, M. Tijsterman, R. H. Plasterk, and J. Bakker. 2007. A *Caenorhabditis elegans* Wild Type Defies the Temperature-Size Rule Owing to a Single Nucleotide Polymorphism in *tra-3*. *PLoS Genet* 3:e34. PMID: 17335351
- Karunaratne, S. H., A. Vaughan, M. G. Paton, and J. Hemingway. 1998. Amplification of a serine esterase gene is involved in insecticide resistance in Sri Lankan *Culex tritaeniorhynchus*. *Insect Mol Biol* 7:307-315. PMID: 9723868
- Keller, A., H. Zhuang, Q. Chi, L. B. Vosshall, and H. Matsunami. 2007. Genetic variation in a human odorant receptor alters odour perception. *Nature* 449:468-472. PMID: 17873857
- Kempin, S. A., B. Savidge, and M. F. Yanofsky. 1995. Molecular basis of the cauliflower phenotype in *Arabidopsis*. *Science (New York, N.Y)* 267:522-525. PMID: 7824951

- Kerje, S., J. Lind, K. Schutz, P. Jensen, and L. Andersson. 2003. Melanocortin 1-receptor (MC1R) mutations are associated with plumage colour in chicken. *Anim Genet* 34:241-248. PMID: 12873211
- Kerje, S., P. Sharma, U. Gunnarsson, H. Kim, S. Bagchi, R. Fredriksson, K. Schutz, P. Jensen, G. von Heijne, R. Okimoto, and L. Andersson. 2004. The Dominant white, Dun and Smoky color variants in chicken are associated with insertion/deletion polymorphisms in the PMEL17 gene. *Genetics* 168:1507-1518. PMID: 15579702
- Kijas, J. M., M. Moller, G. Plastow, and L. Andersson. 2001. A frameshift mutation in MC1R and a high frequency of somatic reversions cause black spotting in pigs. *Genetics* 158:779-785. PMID: 11404341
- Kijas, J. M., R. Wales, A. Tornsten, P. Chardon, M. Moller, and L. Andersson. 1998. Melanocortin receptor 1 (MC1R) mutations and coat color in pigs. *Genetics* 150:1177-1185. PMID: 9799269
- Kim, U. K., E. Jorgenson, H. Coon, M. Leppert, N. Risch, and D. Drayna. 2003. Positional cloning of the human quantitative trait locus underlying taste sensitivity to phenylthiocarbamide. *Science (New York, N.Y)* 299:1221-1225. PMID: 12595690
- Kimura, S., D. Koenig, J. Kang, F. Y. Yoong, and N. Sinha. 2008. Natural Variation in Leaf Morphology Results from Mutation of a Novel KNOX Gene. *Curr Biol*. PMID: 18424140
- Klungland, H., D. I. Vage, L. Gomez-Raya, S. Adalsteinsson, and S. Lien. 1995. The role of melanocyte-stimulating hormone (MSH) receptor in bovine coat color determination. *Mamm Genome* 6:636-639. PMID: 8535072
- Kobayashi, S., N. Goto-Yamamoto, and H. Hirochika. 2004. Retrotransposon-induced mutations in grape skin color. *Science (New York, N.Y)* 304:982. PMID: 15143274
- Kojima, S., Y. Takahashi, Y. Kobayashi, L. Monna, T. Sasaki, T. Araki, and M. Yano. 2002. Hd3a, a rice ortholog of the Arabidopsis FT gene, promotes transition to flowering downstream of Hd1 under short-day conditions. *Plant Cell Physiol* 43:1096-1105. PMID: 12407188
- Konishi, S., T. Izawa, S. Y. Lin, K. Ebana, Y. Fukuta, T. Sasaki, and M. Yano. 2006. An SNP caused loss of seed shattering during rice domestication. *Science (New York, N.Y)* 312:1392-1396. PMID: 16614172
- Kornegay, J. R., J. W. Schilling, and A. C. Wilson. 1994. Molecular adaptation of a leaf-eating bird: stomach lysozyme of the hoatzin. *Molecular biology and evolution* 11:921-928. PMID: 7815930
- Kyriacou, C. P. a. H., J.C. 1986. Interspecific genetic control of courtship song production and reception in *Drosophila*. *Science (New York, N.Y)* 232:494-497. PMID: 3083506
- Lamason, R. L., M. A. Mohideen, J. R. Mest, A. C. Wong, H. L. Norton, M. C. Aros, M. J. Jurynec, X. Mao, V. R. Humphreville, J. E. Humbert, S. Sinha, J. L. Moore, P. Jagadeeswaran, W. Zhao, G. Ning, I. Makalowska, P. M. McKeigue, D. O'Donnell, R. Kittles, E. J. Parra, N. J. Mangini, D. J. Grunwald, M. D. Shriver,

- V. A. Canfield, and K. C. Cheng. 2005. SLC24A5, a putative cation exchanger, affects pigmentation in zebrafish and humans. *Science* (New York, N.Y) 310:1782-1786. PMID: 16357253
- Lambrix, V., M. Reichelt, T. Mitchell-Olds, D. J. Kliebenstein, and J. Gershenzon. 2001. The Arabidopsis epithiospecifier protein promotes the hydrolysis of glucosinolates to nitriles and influences *Trichoplusia ni* herbivory. *Plant Cell* 13:2793-2807. PMID: 11752388
- Laurie, C. C., and L. F. Stam. 1994. The effect of an intronic polymorphism on alcohol dehydrogenase expression in *Drosophila melanogaster*. *Genetics* 138:379-385. PMID: 7828821
- Le Corre, V., F. Roux, and X. Reboud. 2002. DNA polymorphism at the FRIGIDA gene in *Arabidopsis thaliana*: extensive nonsynonymous variation is consistent with local selection for flowering time. *Molecular biology and evolution* 19:1261-1271. PMID: 12140238
- Lee, H. J., T. Rocheleau, H. G. Zhang, M. B. Jackson, and R. H. ffrench-Constant. 1993. Expression of a *Drosophila* GABA receptor in a baculovirus insect cell system. Functional expression of insecticide susceptible and resistant GABA receptors from the cyclodiene resistance gene Rdl. *FEBS Lett* 335:315-318. PMID: 8262177
- Lee, S. H., J. B. Dunn, J. M. Clark, and D. M. Soderlund. 1999. Molecular Analysis of kdr-like Resistance in a Permethrin-Resistant Strain of Colorado Potato Beetle. *Pestic. Biochem. Physiol.* 63:63-75.
- Lee, S. H., and D. M. Soderlund. 2001. The V410M mutation associated with pyrethroid resistance in *Heliothis virescens* reduces the pyrethroid sensitivity of house fly sodium channels expressed in *Xenopus* oocytes. *Insect Biochem Mol Biol* 31:19-29. PMID: 11102831
- Lee, S. H., K.-S. Yoon, M. S. Williamson, S. J. Goodson, M. Takano-Lee, J. D. Edman, A. L. Devonshire, and J. M. Clark. 2000. Molecular Analysis of kdr-like Resistance in Permethrin-Resistant Strains of Head Lice, *Pediculus capitis*. *Pestic. Biochem. Physiol.* 66:130-143.
- Legendre, A., X. X. Miao, J. L. Da Lage, and C. Wicker-Thomas. 2008. Evolution of a desaturase involved in female pheromonal cuticular hydrocarbon biosynthesis and courtship behavior in *Drosophila*. *Insect Biochem Mol Biol* 38:244-255. PMID: 18207084
- Li, C., A. Zhou, and T. Sang. 2006. Rice domestication by reducing shattering. *Science* (New York, N.Y) 311:1936-1939. PMID: 16527928
- Li, X., W. Li, H. Wang, J. Cao, K. Maehashi, L. Huang, A. A. Bachmanov, D. R. Reed, V. Legrand-Defretin, G. K. Beauchamp, and J. G. Brand. 2005. Pseudogenization of a sweet-receptor gene accounts for cats' indifference toward sugar. *PLoS Genet* 1:27-35. PMID: 16103917
- Liang, Y., M. Jansen, B. Aronow, H. Geiger, and G. Van Zant. 2007. The quantitative trait gene latexin influences the size of the hematopoietic stem cell population in mice. *Nat Genet* 39:178-188. PMID: 17220891

- Liu, J., J. Van Eck, B. Cong, and S. D. Tanksley. 2002a. A new class of regulatory genes underlying the cause of pear-shaped tomato fruit. *Proceedings of the National Academy of Sciences of the United States of America* 99:13302-13306. PMID: 12242331
- Liu, Z., J. Tan, S. M. Valles, and K. Dong. 2002b. Synergistic interaction between two cockroach sodium channel mutations and a tobacco budworm sodium channel mutation in reducing channel sensitivity to a pyrethroid insecticide. *Insect Biochem Mol Biol* 32:397-404. PMID: 11886774
- Liu, Z., S. M. Valles, and K. Dong. 2000. Novel point mutations in the German cockroach para sodium channel gene are associated with knockdown resistance (kdr) to pyrethroid insecticides. *Insect Biochem Mol Biol* 30:991-997. PMID: 10899465
- Loudet, O., V. Saliba-Colombani, C. Camilleri, F. Calenge, V. Gaudon, A. Koprivova, K. A. North, S. Kopriva, and F. Daniel-Vedele. 2007. Natural variation for sulfate content in *Arabidopsis thaliana* is highly controlled by APR2. *Nat Genet* 39:896-900. PMID: 17589509
- Macquet, A., M. C. Ralet, O. Loudet, J. Kronenberger, G. Mouille, A. Marion-Poll, and H. M. North. 2007. A naturally occurring mutation in an *Arabidopsis* accession affects a beta-D-galactosidase that increases the hydrophilic potential of rhamnogalacturonan I in seed mucilage. *Plant Cell* 19:3990-4006. PMID: 18165330
- Maloof, J. N., J. O. Borevitz, T. Dabi, J. Lutes, R. B. Nehring, J. L. Redfern, G. T. Trainer, J. M. Wilson, T. Asami, C. C. Berry, D. Weigel, and J. Chory. 2001. Natural variation in light sensitivity of *Arabidopsis*. *Nat Genet* 29:441-446. PMID: 11726931
- Marcellini, S., and P. Simpson. 2006. Two or Four Bristles: Functional Evolution of an Enhancer of scute in *Drosophilidae*. *PLoS Biol* 4:e386. PMID: 17105353
- Marchitelli, C., M. C. Savarese, A. Crisa, A. Nardone, P. A. Marsan, and A. Valentini. 2003. Double muscling in Marchigiana beef breed is caused by a stop codon in the third exon of myostatin gene. *Mamm Genome* 14:392-395. PMID: 12879361
- Mariat, D., S. Taourit, and G. Guerin. 2003. A mutation in the MATP gene causes the cream coat colour in the horse. *Genet Sel Evol* 35:119-133. PMID: 12605854
- Marklund, L., M. J. Moller, K. Sandberg, and L. Andersson. 1996. A missense mutation in the gene for melanocyte-stimulating hormone receptor (MC1R) is associated with the chestnut coat color in horses. *Mamm Genome* 7:895-899. PMID: 8995760
- Marklund, S., J. Kijas, H. Rodriguez-Martinez, L. Ronnstrand, K. Funa, M. Moller, D. Lange, I. Edfors-Lilja, and L. Andersson. 1998. Molecular basis for the dominant white phenotype in the domestic pig. *Genome Res* 8:826-833. PMID: 9724328
- Maroni, G., J. Wise, J. E. Young, and E. Otto. 1987. Metallothionein gene duplications and metal tolerance in natural populations of *Drosophila melanogaster*. *Genetics* 117:739-744. PMID: 2828157
- Martin, G. B., S. H. Brommonschenkel, J. Chunwongse, A. Frary, M. W. Ganai, R. Spivey, T. Wu, E. D. Earle, and S. D. Tanksley. 1993. Map-based cloning of a

- protein kinase gene conferring disease resistance in tomato. *Science* (New York, N.Y. 262:1432-1436. PMID: 7902614
- Martinez-Torres, D., F. Chandre, M. S. Williamson, F. Darriet, J. B. Berge, A. L. Devonshire, P. Guillet, N. Pasteur, and D. Pauron. 1998. Molecular characterization of pyrethroid knockdown resistance (kdr) in the major malaria vector *Anopheles gambiae* s.s. *Insect Mol Biol* 7:179-184. PMID: 9535162
- Martinez-Torres, D., C. Chevillon, A. Brun-Barale, J. B. Berge, N. Pasteur, and D. Pauron. 1999a. Voltage-dependent Na⁺ channels in pyrethroid-resistant *Culex pipiens* L mosquitoes. *Pestic. Sci.* 55:1012-1020.
- Martinez-Torres, D., S. P. Foster, L. M. Field, A. L. Devonshire, and M. S. Williamson. 1999b. A sodium channel point mutation is associated with resistance to DDT and pyrethroid insecticides in the peach-potato aphid, *Myzus persicae* (Sulzer) (Hemiptera: Aphididae). *Insect Mol Biol* 8:339-346. PMID: 10469251
- Max, M., Y. G. Shanker, L. Huang, M. Rong, Z. Liu, F. Campagne, H. Weinstein, S. Damak, and R. F. Margolskee. 2001. Tas1r3, encoding a new candidate taste receptor, is allelic to the sweet responsiveness locus Sac. *Nat Genet* 28:58-63. PMID: 11326277
- McGregor, A. P., V. Orgogozo, I. Delon, J. Zanet, D. G. Srinivasan, F. Payre, and D. L. Stern. 2007. Morphological evolution through multiple cis-regulatory mutations at a single gene. *Nature* 448:587-590. PMID: 17632547
- Michaels, S. D., Y. He, K. C. Scortecci, and R. M. Amasino. 2003. Attenuation of FLOWERING LOCUS C activity as a mechanism for the evolution of summer-annual flowering behavior in *Arabidopsis*. *Proceedings of the National Academy of Sciences of the United States of America* 100:10102-10107. PMID: 12904584
- Milan, D., J. T. Jeon, C. Looft, V. Amarger, A. Robic, M. Thelander, C. Rogel-Gaillard, S. Paul, N. Iannuccelli, L. Rask, H. Ronne, K. Lundstrom, N. Reinsch, J. Gellin, E. Kalm, P. L. Roy, P. Chardon, and L. Andersson. 2000. A mutation in PRKAG3 associated with excess glycogen content in pig skeletal muscle. *Science* (New York, N.Y. 288:1248-1251. PMID: 10818001
- Miller, C. T., S. Beleza, A. A. Pollen, D. Schluter, R. A. Kittles, M. D. Shriver, and D. M. Kingsley. 2007. cis-Regulatory Changes in Kit Ligand Expression and Parallel Evolution of Pigmentation in Sticklebacks and Humans. *Cell* 131:1179-1189. PMID: 18083106
- Mindrinos, M., F. Katagiri, G. L. Yu, and F. M. Ausubel. 1994. The *A. thaliana* disease resistance gene RPS2 encodes a protein containing a nucleotide-binding site and leucine-rich repeats. *Cell* 78:1089-1099. PMID: 7923358
- Miyazaki, M., F. Matsumura, and R. W. Beeman. 1995. DNA sequence and site of mutation of the GABA receptor of cyclodiene-resistant red flour beetle, *Tribolium castaneum*. *Comp Biochem Physiol B Biochem Mol Biol* 111:399-406. PMID: 7613764
- Miyazaki, M., K. Ohyama, D. Y. Dunlap, and F. Matsumura. 1996. Cloning and sequencing of the para-type sodium channel gene from susceptible and kdr-resistant German cockroaches (*Blattella germanica*) and house fly (*Musca domestica*). *Mol Gen Genet* 252:61-68. PMID: 8804404

- Montmayeur, J. P., S. D. Liberles, H. Matsunami, and L. B. Buck. 2001. A candidate taste receptor gene near a sweet taste locus. *Nat Neurosci* 4:492-498. PMID: 11319557
- Morin, S., M. S. Williamson, S. J. Goodson, J. K. Brown, B. E. Tabashnik, and T. J. Dennehy. 2002. Mutations in the *Bemisia tabaci* para sodium channel gene associated with resistance to a pyrethroid plus organophosphate mixture. *Insect Biochem Mol Biol* 32:1781-1791. PMID: 12429130
- Mosher, D. S., P. Quignon, C. D. Bustamante, N. B. Sutter, C. S. Mellersh, H. G. Parker, and E. A. Ostrander. 2007. A mutation in the myostatin gene increases muscle mass and enhances racing performance in heterozygote dogs. *PLoS Genet* 3:e79. PMID: 17530926
- Mouchel, C. F., G. C. Briggs, and C. S. Hardtke. 2004. Natural genetic variation in *Arabidopsis* identifies BREVIS RADIX, a novel regulator of cell proliferation and elongation in the root. *Genes Dev* 18:700-714. PMID: 15031265
- Mouches, C., Y. Pauplin, M. Agarwal, L. Lemieux, M. Herzog, M. Abadon, V. Beyssat-Arnaouty, O. Hyrien, B. R. de Saint Vincent, G. P. Georghiou, and et al. 1990. Characterization of amplification core and esterase B1 gene responsible for insecticide resistance in *Culex*. *Proceedings of the National Academy of Sciences of the United States of America* 87:2574-2578. PMID: 2320576
- Muller, K. J., N. Romano, O. Gerstner, F. Garcia-Maroto, C. Pozzi, F. Salamini, and W. Rohde. 1995. The barley Hooded mutation caused by a duplication in a homeobox gene intron. *Nature* 374:727-730. PMID: 7715728
- Mulsant, P., F. Lecerf, S. Fabre, L. Schibler, P. Monget, I. Lanneluc, C. Pisselet, J. Riquet, D. Monniaux, I. Callebaut, E. Cribiu, J. Thimonier, J. Teyssier, L. Bodin, Y. Cognie, N. Chitour, and J. M. Elsen. 2001. Mutation in bone morphogenetic protein receptor-IB is associated with increased ovulation rate in Booroola Merino ewes. *Proceedings of the National Academy of Sciences of the United States of America* 98:5104-5109. PMID: 11320249
- Multani, D. S., R. B. Meeley, A. H. Paterson, J. Gray, S. P. Briggs, and G. S. Johal. 1998. Plant-pathogen microevolution: molecular basis for the origin of a fungal disease in maize. *Proceedings of the National Academy of Sciences of the United States of America* 95:1686-1691. PMID: 9465077
- Mundy, N. I., N. S. Badcock, T. Hart, K. Scribner, K. Janssen, and N. J. Nadeau. 2004. Conserved genetic basis of a quantitative plumage trait involved in mate choice. *Science (New York, N.Y)* 303:1870-1873. PMID: 15031505
- Murphy, S. K., C. M. Nolan, Z. Huang, K. S. Kucera, B. A. Freking, T. P. Smith, K. A. Leymaster, J. R. Weidman, and R. L. Jirtle. 2006. Callipyge mutation affects gene expression in cis: a potential role for chromatin structure. *Genome Res* 16:340-346. PMID: 16415109
- Mutero, A., M. Pralavorio, J. M. Bride, and D. Fournier. 1994. Resistance-associated point mutations in insecticide-insensitive acetylcholinesterase. *Proceedings of the National Academy of Sciences of the United States of America* 91:5922-5926. PMID: 8016090

- Nachman, M. W., H. E. Hoekstra, and S. L. D'Agostino. 2003. The genetic basis of adaptive melanism in pocket mice. *Proceedings of the National Academy of Sciences of the United States of America* 100:5268-5273. PMID: 12704245
- Nackley, A. G., S. A. Shabalina, I. E. Tchivileva, K. Satterfield, O. Korchynskyi, S. S. Makarov, W. Maixner, and L. Diatchenko. 2006. Human catechol-O-methyltransferase haplotypes modulate protein expression by altering mRNA secondary structure. *Science (New York, N.Y)* 314:1930-1933. PMID: 17185601
- Nadeau, N. J., F. Minvielle, and N. I. Mundy. 2006. Association of a Glu92Lys substitution in MC1R with extended brown in Japanese quail (*Coturnix japonica*). *Anim Genet* 37:287-289. PMID: 16734695
- Nesbitt, T. C., and S. D. Tanksley. 2002. Comparative sequencing in the genus *Lycopersicon*. Implications for the evolution of fruit size in the domestication of cultivated tomatoes. *Genetics* 162:365-379. PMID: 12242247
- Newcomb, R. D., P. M. Campbell, D. L. Ollis, E. Cheah, R. J. Russell, and J. G. Oakeshott. 1997. A single amino acid substitution converts a carboxylesterase to an organophosphorus hydrolase and confers insecticide resistance on a blowfly. *Proceedings of the National Academy of Sciences of the United States of America* 94:7464-7468. PMID: 9207114
- Newton, J. M., O. Cohen-Barak, N. Hagiwara, J. M. Gardner, M. T. Davisson, R. A. King, and M. H. Brilliant. 2001. Mutations in the human orthologue of the mouse underwhite gene (*uw*) underlie a new form of oculocutaneous albinism, OCA4. *Am J Hum Genet* 69:981-988. PMID: 11574907
- Newton, J. M., A. L. Wilkie, L. He, S. A. Jordan, D. L. Metallinos, N. G. Holmes, I. J. Jackson, and G. S. Barsh. 2000. Melanocortin 1 receptor variation in the domestic dog. *Mamm Genome* 11:24-30. PMID: 10602988
- Olsen, K. M., A. L. Caicedo, N. Polato, A. McClung, S. McCouch, and M. D. Purugganan. 2006. Selection under domestication: evidence for a sweep in the rice waxy genomic region. *Genetics* 173:975-983. PMID: 16547098
- Olsen, K. M., S. S. Halldorsdottir, J. R. Stinchcombe, C. Weinig, J. Schmitt, and M. D. Purugganan. 2004. Linkage disequilibrium mapping of *Arabidopsis* CRY2 flowering time alleles. *Genetics* 167:1361-1369. PMID: 15280248
- Osborne, K. A., A. Robichon, E. Burgess, S. Butland, R. A. Shaw, A. Coulthard, H. S. Pereira, R. J. Greenspan, and M. B. Sokolowski. 1997. Natural behavior polymorphism due to a cGMP-dependent protein kinase of *Drosophila*. *Science (New York, N.Y)* 277:834-836.
- Pailhoux, E., B. Vigier, S. Chaffaux, N. Serval, S. Taourit, J. P. Furet, M. Fellous, F. Grosclaude, E. P. Cribiu, C. Cotinot, and D. Vaiman. 2001. A 11.7-kb deletion triggers intersexuality and polledness in goats. *Nat Genet* 29:453-458. PMID: 11726932
- Park, Y., M. F. Taylor, and R. Feyereisen. 1997. A valine421 to methionine mutation in IS6 of the *hscp* voltage-gated sodium channel associated with pyrethroid resistance in *Heliothis virescens* F. *Biochem Biophys Res Commun* 239:688-691. PMID: 9367829

- Parniske, M., K. E. Hammond-Kosack, C. Golstein, C. M. Thomas, D. A. Jones, K. Harrison, B. B. Wulff, and J. D. Jones. 1997. Novel disease resistance specificities result from sequence exchange between tandemly repeated genes at the Cf-4/9 locus of tomato. *Cell* 91:821-832. PMID: 9413991
- Patzoldt, W. L., A. G. Hager, J. S. McCormick, and P. J. Tranel. 2006. A codon deletion confers resistance to herbicides inhibiting protoporphyrinogen oxidase. *Proceedings of the National Academy of Sciences of the United States of America* 103:12329-12334. PMID: 16894159
- Peng, J., D. E. Richards, N. M. Hartley, G. P. Murphy, K. M. Devos, J. E. Flintham, J. Beales, L. J. Fish, A. J. Worland, F. Pelica, D. Sudhakar, P. Christou, J. W. Snape, M. D. Gale, and N. P. Harberd. 1999. 'Green revolution' genes encode mutant gibberellin response modulators. *Nature* 400:256-261. PMID: 10421366
- Perry, G. H., N. J. Dominy, K. G. Claw, A. S. Lee, H. Fiegler, R. Redon, J. Werner, F. A. Villanea, J. L. Mountain, R. Misra, N. P. Carter, C. Lee, and A. C. Stone. 2007. Diet and the evolution of human amylase gene copy number variation. *Nat Genet* 39:1256-1260. PMID: 17828263
- Perutz, M. F. 1983. Species adaptation in a protein molecule. *Molecular biology and evolution* 1:1-28. PMID: 6400645
- Pnueli, L., L. Carmel-Goren, D. Hareven, T. Gutfinger, J. Alvarez, M. Ganal, D. Zamir, and E. Lifschitz. 1998. The SELF-PRUNING gene of tomato regulates vegetative to reproductive switching of sympodial meristems and is the ortholog of CEN and TFL1. *Development* 125:1979-1989. PMID: 9570763
- Preiss, J., S. Danner, P. S. Summers, M. Morell, C. R. Barton, L. Yang, and M. Nieder. 1990. Molecular Characterization of the Brittle-2 Gene Effect on Maize Endosperm ADPglucose Pyrophosphorylase Subunits. *Plant Physiol* 92:881-885. PMID: 16667400
- Protas, M. E., C. Hersey, D. Kochanek, Y. Zhou, H. Wilkens, W. R. Jeffery, L. I. Zon, R. Borowsky, and C. J. Tabin. 2006. Genetic analysis of cavefish reveals molecular convergence in the evolution of albinism. *Nat Genet* 38:107-111. PMID: 16341223
- Prud'homme, B., N. Gompel, A. Rokas, V. A. Kassner, T. M. Williams, S. D. Yeh, J. R. True, and S. B. Carroll. 2006. Repeated morphological evolution through cis-regulatory changes in a pleiotropic gene. *Nature* 440:1050-1053. PMID: 16625197
- Quattrocchio, F., J. Wing, K. van der Woude, E. Souer, N. de Vetten, J. Mol, and R. Koes. 1999. Molecular analysis of the anthocyanin2 gene of petunia and its role in the evolution of flower color. *Plant Cell* 11:1433-1444. PMID: 10449578
- Radicella, J. P., D. Brown, L. A. Tolar, and V. L. Chandler. 1992. Allelic diversity of the maize B regulatory gene: different leader and promoter sequences of two B alleles determine distinct tissue specificities of anthocyanin production. *Genes Dev* 6:2152-2164. PMID: 1427078
- Ranson, H., B. Jensen, J. M. Vulule, X. Wang, J. Hemingway, and F. H. Collins. 2000. Identification of a point mutation in the voltage-gated sodium channel gene of

- Kenyan *Anopheles gambiae* associated with resistance to DDT and pyrethroids. *Insect Mol Biol* 9:491-497. PMID: 11029667
- Ren, Z. H., J. P. Gao, L. G. Li, X. L. Cai, W. Huang, D. Y. Chao, M. Z. Zhu, Z. Y. Wang, S. Luan, and H. X. Lin. 2005. A rice quantitative trait locus for salt tolerance encodes a sodium transporter. *Nat Genet* 37:1141-1146. PMID: 16155566
- Ritland, K., C. Newton, and H. D. Marshall. 2001. Inheritance and population structure of the white-phased "Kermode" black bear. *Curr Biol* 11:1468-1472. PMID: 11566108
- Robbins, L. S., J. H. Nadeau, K. R. Johnson, M. A. Kelly, L. Roselli-Reh fuss, E. Baack, K. G. Mountjoy, and R. D. Cone. 1993. Pigmentation phenotypes of variant extension locus alleles result from point mutations that alter MSH receptor function. *Cell* 72:827-834. PMID: 8458079
- Rooker, S., T. Guillemaud, J. Berge, N. Pasteur, and M. Raymond. 1996. Coamplification of esterase A and B genes as a single unit in *Culex pipiens* mosquitoes. *Heredity* 77 (Pt 5):555-561. PMID: 8939022
- Rosenblum, E. B., H. E. Hoekstra, and M. W. Nachman. 2004. Adaptive reptile color variation and the evolution of the *Mclr* gene. *Evolution Int J Org Evolution* 58:1794-1808. PMID: 15446431
- Rossi, M., F. L. Goggin, S. B. Milligan, I. Kaloshian, D. E. Ullman, and V. M. Williamson. 1998. The nematode resistance gene *Mi* of tomato confers resistance against the potato aphid. *Proceedings of the National Academy of Sciences of the United States of America* 95:9750-9754. PMID: 9707547
- Rus, A., I. Baxter, B. Muthukumar, J. Gustin, B. Lahner, E. Yakubova, and D. E. Salt. 2006. Natural variants of *AtHKT1* enhance Na^+ accumulation in two wild populations of *Arabidopsis*. *PLoS Genet* 2:e210. PMID: 17140289
- Saitoh, K., K. Onishi, I. Mikami, K. Thidar, and Y. Sano. 2004. Allelic diversification at the *C* (*OsC1*) locus of wild and cultivated rice: nucleotide changes associated with phenotypes. *Genetics* 168:997-1007. PMID: 15514070
- Salvi, S., G. Sponza, M. Morgante, D. Tomes, X. Niu, K. A. Fengler, R. Meeley, E. V. Ananiev, S. Svitashchev, E. Bruggemann, B. Li, C. F. Hainey, S. Radovic, G. Zaina, J. A. Rafalski, S. V. Tingey, G. H. Miao, R. L. Phillips, and R. Tuberosa. 2007. Conserved noncoding genomic sequences associated with a flowering-time quantitative trait locus in maize. *Proceedings of the National Academy of Sciences of the United States of America*. PMID: 17595297
- Sandrelli, F., E. Tauber, M. Pegoraro, G. Mazzotta, P. Cisotto, J. Landskron, R. Stanewsky, A. Piccin, E. Rosato, M. Zordan, R. Costa, and C. P. Kyriacou. 2007. A molecular basis for natural selection at the timeless locus in *Drosophila melanogaster*. *Science (New York, N.Y)* 316:1898-1900. PMID: 17600216
- Sasaki, A., M. Ashikari, M. Ueguchi-Tanaka, H. Itoh, A. Nishimura, D. Swapan, K. Ishiyama, T. Saito, M. Kobayashi, G. S. Khush, H. Kitano, and M. Matsuoka. 2002. Green revolution: a mutant gibberellin-synthesis gene in rice. *Nature* 416:701-702. PMID: 11961544

- Schlappi, M. R. 2006. FRIGIDA LIKE 2 is a functional allele in Landsberg erecta and compensates for a nonsense allele of FRIGIDA LIKE 1. *Plant Physiol* 142:1728-1738. PMID: 17056759
- Schmidt, R. J., F. A. Burr, and B. Burr. 1987. Transposon tagging and molecular analysis of the maize regulatory locus opaque-2. *Science (New York, N.Y)* 238:960-963. PMID: 2823388
- Schmutz, S. M., T. G. Berryere, N. M. Ellinwood, J. A. Kerns, and G. S. Barsh. 2003. MC1R studies in dogs with melanistic mask or brindle patterns. *J Hered* 94:69-73. PMID: 12692165
- Schuler, T. H., D. Martinez-Torres, A. J. Thompson, I. Denholm, A. L. Devonshire, I. R. Duce, and M. S. Williamson. 1998. Toxicological, Electrophysiological, and Molecular Characterisation of Knockdown Resistance to Pyrethroid Insecticides in the Diamondback Moth, *Plutella xylostella*(L.). *PESTICIDE BIOCHEMISTRY AND PHYSIOLOGY* 59:169-182.
- Schulte, P. M., H. C. Glemet, A. A. Fiebig, and D. A. Powers. 2000. Adaptive variation in lactate dehydrogenase-B gene expression: role of a stress-responsive regulatory element. *Proceedings of the National Academy of Sciences of the United States of America* 97:6597-6602. PMID: 10841559
- Seah, S., J. Yaghoobi, M. Rossi, C. A. Gleason, and V. M. Williamson. 2004. The nematode-resistance gene, Mi-1, is associated with an inverted chromosomal segment in susceptible compared to resistant tomato. *Theor Appl Genet* 108:1635-1642. PMID: 14963654
- Shapiro, M. D., M. E. Marks, C. L. Peichel, B. K. Blackman, K. S. Nereng, B. Jonsson, D. Schluter, and D. M. Kingsley. 2004. Genetic and developmental basis of evolutionary pelvic reduction in threespine sticklebacks. *Nature* 428:717-723. PMID: 15085123
- Shimomura, Y., M. Wajid, Y. Ishii, L. Shapiro, L. Petukhova, D. Gordon, and A. M. Christiano. 2008. Disruption of P2RY5, an orphan G protein-coupled receptor, underlies autosomal recessive woolly hair. *Nat Genet* 40:335-339. PMID: 18297072
- Shindo, C., M. J. Aranzana, C. Lister, C. Baxter, C. Nicholls, M. Nordborg, and C. Dean. 2005. Role of FRIGIDA and FLOWERING LOCUS C in determining variation in flowering time of *Arabidopsis*. *Plant Physiol* 138:1163-1173. PMID: 15908596
- Simons, K. J., J. P. Fellers, H. N. Trick, Z. Zhang, Y. S. Tai, B. S. Gill, and J. D. Faris. 2006. Molecular characterization of the major wheat domestication gene Q. *Genetics* 172:547-555. PMID: 16172507
- Smit, M., K. Segers, L. G. Carrascosa, T. Shay, F. Baraldi, G. Gyapay, G. Snowder, M. Georges, N. Cockett, and C. Charlier. 2003. Mosaicism of Solid Gold supports the causality of a noncoding A-to-G transition in the determinism of the callipyge phenotype. *Genetics* 163:453-456. PMID: 12586730
- Smith, R., E. Healy, S. Siddiqui, N. Flanagan, P. M. Steijlen, I. Rosdahl, J. P. Jacques, S. Rogers, R. Turner, I. J. Jackson, M. A. Birch-Machin, and J. L. Rees. 1998. Melanocortin 1 receptor variants in an Irish population. *J Invest Dermatol* 111:119-122. PMID: 9665397

- Smith, T. J., S. H. Lee, P. J. Ingles, D. C. Knipple, and D. M. Soderlund. 1997. The L1014F point mutation in the house fly *Vssc1* sodium channel confers knockdown resistance to pyrethroids. *Insect Biochem Mol Biol* 27:807-812. PMID: 9474777
- Song, X. J., W. Huang, M. Shi, M. Z. Zhu, and H. X. Lin. 2007. A QTL for rice grain width and weight encodes a previously unknown RING-type E3 ubiquitin ligase. *Nat Genet* 39:623-630. PMID: 17417637
- Stam, L. F., and C. C. Laurie. 1996. Molecular dissection of a major gene effect on a quantitative trait: The level of alcohol dehydrogenase expression in *Drosophila melanogaster*. *Genetics* 144:1559-1564. PMID: 8978044
- Stedman, H. H., B. W. Kozyak, A. Nelson, D. M. Thesier, L. T. Su, D. W. Low, C. R. Bridges, J. B. Shrager, N. Minugh-Purvis, and M. A. Mitchell. 2004. Myosin gene mutation correlates with anatomical changes in the human lineage. *Nature* 428:415-418. PMID: 15042088
- Stern, D. L. 1998. A role of Ultrabithorax in morphological differences between *Drosophila* species. *Nature* 396:463-466. PMID: 9853753
- Stolz, U., S. Velez, K. V. Wood, M. Wood, and J. L. Feder. 2003. Darwinian natural selection for orange bioluminescent color in a Jamaican click beetle. *Proceedings of the National Academy of Sciences of the United States of America* 100:14955-14959. PMID: 14623957
- Sugawara, T., Y. Terai, H. Imai, G. F. Turner, S. Koblmuller, C. Sturmbauer, Y. Shichida, and N. Okada. 2005. Parallelism of amino acid changes at the RH1 affecting spectral sensitivity among deep-water cichlids from Lakes Tanganyika and Malawi. *Proceedings of the National Academy of Sciences of the United States of America* 102:5448-5453. PMID: 15809435
- Sweeney, M. T., M. J. Thomson, Y. G. Cho, Y. J. Park, S. H. Williamson, C. D. Bustamante, and S. R. McCouch. 2007. Global dissemination of a single mutation conferring white pericarp in rice. *PLoS Genet* 3:e133. PMID: 17696613
- Sweeney, M. T., M. J. Thomson, B. E. Pfeil, and S. McCouch. 2006. Caught red-handed: *Rc* encodes a basic helix-loop-helix protein conditioning red pericarp in rice. *Plant Cell* 18:283-294. PMID: 16399804
- Takahashi, A., S. C. Tsauro, J. A. Coyne, and C. I. Wu. 2001a. The nucleotide changes governing cuticular hydrocarbon variation and their evolution in *Drosophila melanogaster*. *Proceedings of the National Academy of Sciences of the United States of America* 98:3920-3925. PMID: 11259658
- Takahashi, Y., A. Shomura, T. Sasaki, and M. Yano. 2001b. Hd6, a rice quantitative trait locus involved in photoperiod sensitivity, encodes the alpha subunit of protein kinase CK2. *Proceedings of the National Academy of Sciences of the United States of America* 98:7922-7927. PMID: 11416158
- Takeda, H., F. Caiment, M. Smit, S. Hiard, X. Tordoir, N. Cockett, M. Georges, and C. Charlier. 2006. The callipyge mutation enhances bidirectional long-range DLK1-GTL2 intergenic transcription in cis. *Proceedings of the National Academy of Sciences of the United States of America* 103:8119-8124. PMID: 16690740

- Takeuchi, S., H. Suzuki, M. Yabuuchi, and S. Takahashi. 1996. A possible involvement of melanocortin 1-receptor in regulating feather color pigmentation in the chicken. *Biochim Biophys Acta* 1308:164-168. PMID: 8764834
- Tan, J., Z. Liu, T. D. Tsai, S. M. Valles, A. L. Goldin, and K. Dong. 2002. Novel sodium channel gene mutations in *Blattella germanica* reduce the sensitivity of expressed channels to deltamethrin. *Insect Biochem Mol Biol* 32:445-454. PMID: 11886779
- Tauber, E., M. Zordan, F. Sandrelli, M. Pegoraro, N. Osterwalder, C. Breda, A. Daga, A. Selmin, K. Monger, C. Benna, E. Rosato, C. P. Kyriacou, and R. Costa. 2007. Natural selection favors a newly derived timeless allele in *Drosophila melanogaster*. *Science (New York, N.Y)* 316:1895-1898. PMID: 17600215
- Terai, Y., O. Seehausen, T. Sasaki, K. Takahashi, S. Mizoiri, T. Sugawara, T. Sato, M. Watanabe, N. Konijnendijk, H. D. Mrosso, H. Tachida, H. Imai, Y. Shichida, and N. Okada. 2006. Divergent selection on opsins drives incipient speciation in Lake Victoria cichlids. *PLoS Biol* 4:e433. PMID: 17147472
- Theron, E., K. Hawkins, E. Bermingham, R. E. Ricklefs, and N. I. Mundy. 2001. The molecular basis of an avian plumage polymorphism in the wild: a melanocortin-1-receptor point mutation is perfectly associated with the melanic plumage morph of the bananaquit, *Coereba flaveola*. *Curr Biol* 11:550-557. PMID: 11369199
- Thompson, M., F. Shotkoski, and R. ffrench-Constant. 1993a. Cloning and sequencing of the cyclodiene insecticide resistance gene from the yellow fever mosquito *Aedes aegypti*. Conservation of the gene and resistance associated mutation with *Drosophila*. *FEBS Lett* 325:187-190. PMID: 8391473
- Thompson, M., J. C. Steichen, and R. H. ffrench-Constant. 1993b. Conservation of cyclodiene insecticide resistance-associated mutations in insects. *Insect Mol Biol* 2:149-154. PMID: 9087552
- Tijsterman, M., K. L. Okihara, K. Thijssen, and R. H. Plasterk. 2002. PPW-1, a PAZ/PIWI protein required for efficient germline RNAi, is defective in a natural isolate of *C. elegans*. *Curr Biol* 12:1535-1540. PMID: 12225671
- Tishkoff, S. A., F. A. Reed, A. Ranciaro, B. F. Voight, C. C. Babbitt, J. S. Silverman, K. Powell, H. M. Mortensen, J. B. Hirbo, M. Osman, M. Ibrahim, S. A. Omar, G. Lema, T. B. Nyambo, J. Gori, S. Bumpstead, J. K. Pritchard, G. A. Wray, and P. Deloukas. 2007. Convergent adaptation of human lactase persistence in Africa and Europe. *Nat Genet* 39:31-40. PMID: 17159977
- Tournamille, C., Y. Colin, J. P. Cartron, and C. Le Van Kim. 1995. Disruption of a GATA motif in the Duffy gene promoter abolishes erythroid gene expression in Duffy-negative individuals. *Nat Genet* 10:224-228. PMID: 7663520
- Trevaskis, B., D. J. Bagnall, M. H. Ellis, W. J. Peacock, and E. S. Dennis. 2003. MADS box genes control vernalization-induced flowering in cereals. *Proceedings of the National Academy of Sciences of the United States of America* 100:13099-13104. PMID: 14557548
- Usherwood, P. N., T. G. Davies, I. R. Mellor, A. O. O'Reilly, F. Peng, H. Vais, B. P. Khambay, L. M. Field, and M. S. Williamson. 2007. Mutations in DIIS5 and the DIIS4-S5 linker of *Drosophila melanogaster* sodium channel define binding domains for pyrethroids and DDT. *FEBS Lett* 581:5485-5492. PMID: 17991435

- Våge, D. I., E. Fuglei, K. Snipstad, J. Beheim, V. M. Landsem, and H. Klungland. 2005. Two cysteine substitutions in the MC1R generate the blue variant of the arctic fox (*Alopex lagopus*) and prevent expression of the white winter coat. *Peptides* 26:1814-1817. PMID: 15982782
- Våge, D. I., H. Klungland, D. Lu, and R. D. Cone. 1999. Molecular and pharmacological characterization of dominant black coat color in sheep. *Mamm Genome* 10:39-43. PMID: 9892731
- Våge, D. I., D. Lu, H. Klungland, S. Lien, S. Adalsteinsson, and R. D. Cone. 1997. A non-epistatic interaction of agouti and extension in the fox, *Vulpes vulpes*. *Nat Genet* 15:311-315. PMID: 9054949
- Vais, H., M. S. Williamson, A. L. Devonshire, and P. N. Usherwood. 2001. The molecular interactions of pyrethroid insecticides with insect and mammalian sodium channels. *Pest Manag Sci* 57:877-888. PMID: 11695180
- Van Laere, A. S., M. Nguyen, M. Braunschweig, C. Nezer, C. Collette, L. Moreau, A. L. Archibald, C. S. Haley, N. Buys, M. Tally, G. Andersson, M. Georges, and L. Andersson. 2003. A regulatory mutation in IGF2 causes a major QTL effect on muscle growth in the pig. *Nature* 425:832-836. PMID: 14574411
- Venkatesh, B., S. Q. Lu, N. Dandona, S. L. See, S. Brenner, and T. W. Soong. 2005. Genetic basis of tetrodotoxin resistance in pufferfishes. *Curr Biol* 15:2069-2072. PMID: 16303569
- Vos, P., G. Simons, T. Jesse, J. Wijbrandi, L. Heinen, R. Hogers, A. Frijters, J. Groenendijk, P. Diergaarde, M. Reijans, J. Fierens-Onstenk, M. de Both, J. Peleman, T. Liharska, J. Hontelez, and M. Zabeau. 1998. The tomato Mi-1 gene confers resistance to both root-knot nematodes and potato aphids. *Nat Biotechnol* 16:1365-1369. PMID: 9853621
- Vrebalov, J., D. Ruezinsky, V. Padmanabhan, R. White, D. Medrano, R. Drake, W. Schuch, and J. Giovannoni. 2002. A MADS-box gene necessary for fruit ripening at the tomato ripening-inhibitor (*rin*) locus. *Science (New York, N.Y)* 296:343-346. PMID: 11951045
- Wada, A., T. Kunieda, M. Nishimura, Y. Kakizoe-Ishida, N. Watanabe, K. Ohkawa, and M. Tsudzuki. 2005. A nucleotide substitution responsible for the tawny coat color mutation carried by the MSKR inbred strain of mice. *J Hered* 96:145-149. PMID: 15653560
- Walsh, S. B., T. A. Dolden, G. D. Moores, M. Kristensen, T. Lewis, A. L. Devonshire, and M. S. Williamson. 2001. Identification and characterization of mutations in housefly (*Musca domestica*) acetylcholinesterase involved in insecticide resistance. *Biochem J* 359:175-181. PMID: 11563981
- Wang, H., T. Nussbaum-Wagler, B. Li, Q. Zhao, Y. Vigouroux, M. Faller, K. Bomblies, L. Lukens, and J. F. Doebley. 2005. The origin of the naked grains of maize. *Nature* 436:714-719. PMID: 16079849
- Wang, Q., U. Sajja, S. Rosloski, T. Humphrey, M. C. Kim, K. Bomblies, D. Weigel, and V. Grbic. 2007. HUA2 caused natural variation in shoot morphology of *A. thaliana*. *Curr Biol* 17:1513-1519. PMID: 17764945

- Wang, S. Y., M. Barile, and G. K. Wang. 2001. A phenylalanine residue at segment D3-S6 in Nav1.4 voltage-gated Na(+) channels is critical for pyrethroid action. *Mol Pharmacol* 60:620-628. PMID: 11502895
- Wang, X., and H. M. Chamberlin. 2002. Multiple regulatory changes contribute to the evolution of the *Caenorhabditis* lin-48 ovo gene. *Genes Dev.* 16:2345-2349. PMID: 12231624
- Wang, Z. Y., F. Q. Zheng, G. Z. Shen, J. P. Gao, D. P. Snustad, M. G. Li, J. L. Zhang, and M. M. Hong. 1995. The amylose content in rice endosperm is related to the post-transcriptional regulation of the waxy gene. *Plant J* 7:613-622. PMID: 7742858
- Weill, M., G. Lutfalla, K. Mogensen, F. Chandre, A. Berthomieu, C. Berticat, N. Pasteur, A. Philips, P. Fort, and M. Raymond. 2003. Comparative genomics: Insecticide resistance in mosquito vectors. *Nature* 423:136-137. PMID: 12736674
- Weill, M., C. Malcolm, F. Chandre, K. Mogensen, A. Berthomieu, M. Marquine, and M. Raymond. 2004. The unique mutation in ace-1 giving high insecticide resistance is easily detectable in mosquito vectors. *Insect Mol Biol* 13:1-7. PMID: 14728661
- Werner, J. D., J. O. Borevitz, N. Warthmann, G. T. Trainer, J. R. Ecker, J. Chory, and D. Weigel. 2005. Quantitative trait locus mapping and DNA array hybridization identify an FLM deletion as a cause for natural flowering-time variation. *Proceedings of the National Academy of Sciences of the United States of America* 102:2460-2465. PMID: 15695584
- Wood, K. V., Y. A. Lam, H. H. Seliger, and W. D. McElroy. 1989. Complementary DNA coding click beetle luciferases can elicit bioluminescence of different colors. *Science (New York, N.Y)* 244:700-702. PMID: 2655091
- Wooding, S., B. Bufe, C. Grassi, M. T. Howard, A. C. Stone, M. Vazquez, D. M. Dunn, W. Meyerhof, R. B. Weiss, and M. J. Bamshad. 2006. Independent evolution of bitter-taste sensitivity in humans and chimpanzees. *Nature* 440:930-934. PMID: 16612383
- Xiao, H., N. Jiang, E. Schaffner, E. J. Stockinger, and E. van der Knaap. 2008. A retrotransposon-mediated gene duplication underlies morphological variation of tomato fruit. *Science (New York, N.Y)* 319:1527-1530. PMID: 18339939
- Yamamoto, F., and S. Hakomori. 1990. Sugar-nucleotide donor specificity of histo-blood group A and B transferases is based on amino acid substitutions. *J Biol Chem* 265:19257-19262. PMID: 2121736
- Yan, L., A. Loukoianov, A. Blechl, G. Tranquilli, W. Ramakrishna, P. SanMiguel, J. L. Bennetzen, V. Echenique, and J. Dubcovsky. 2004. The wheat VRN2 gene is a flowering repressor down-regulated by vernalization. *Science (New York, N.Y)* 303:1640-1644. PMID: 15016992
- Yan, L., A. Loukoianov, G. Tranquilli, M. Helguera, T. Fahima, and J. Dubcovsky. 2003. Positional cloning of the wheat vernalization gene VRN1. *Proceedings of the National Academy of Sciences of the United States of America* 100:6263-6268. PMID: 12730378
- Yano, M., Y. Katayose, M. Ashikari, U. Yamanouchi, L. Monna, T. Fuse, T. Baba, K. Yamamoto, Y. Umehara, Y. Nagamura, and T. Sasaki. 2000. Hd1, a major

- photoperiod sensitivity quantitative trait locus in rice, is closely related to the Arabidopsis flowering time gene CONSTANS. *Plant Cell* 12:2473-2484. PMID: 11148291
- Yeh, S. D., S. R. Liou, and J. R. True. 2006. Genetics of divergence in male wing pigmentation and courtship behavior between *Drosophila elegans* and *D. gunungcola*. *Heredity* 96:383-395. PMID: 16570069
- Yokoyama, S. 2002. Molecular evolution of color vision in vertebrates. *Gene* 300:69-78. PMID: 12468088
- Yokoyama, S., and F. B. Radlwimmer. 1998. The "five-sites" rule and the evolution of red and green color vision in mammals. *Molecular biology and evolution* 15:560-567. PMID: 9580985
- Yokoyama, S., H. Zhang, F. B. Radlwimmer, and N. S. Blow. 1999. Adaptive evolution of color vision of the Comoran coelacanth (*Latimeria chalumnae*). *Proceedings of the National Academy of Sciences of the United States of America* 96:6279-6284. PMID: 10339578
- Yoshiura, K., A. Kinoshita, T. Ishida, A. Ninokata, T. Ishikawa, T. Kaname, M. Bannai, K. Tokunaga, S. Sonoda, R. Komaki, M. Ihara, V. A. Saenko, G. K. Alipov, I. Sekine, K. Komatsu, H. Takahashi, M. Nakashima, N. Sosonkina, C. K. Mapendano, M. Ghadami, M. Nomura, D. S. Liang, N. Miwa, D. K. Kim, A. Garidkhuu, N. Natsume, T. Ohta, H. Tomita, A. Kaneko, M. Kikuchi, G. Russomando, K. Hirayama, M. Ishibashi, A. Takahashi, N. Saitou, J. C. Murray, S. Saito, Y. Nakamura, and N. Niikawa. 2006. A SNP in the ABCC11 gene is the determinant of human earwax type. *Nat Genet* 38:324-330. PMID: 16444273
- Zhang, J. 2006. Parallel adaptive origins of digestive RNases in Asian and African leaf monkeys. *Nat Genet* 38:819-823. PMID: 16767103
- Zhang, J., and H. F. Rosenberg. 2002. Complementary advantageous substitutions in the evolution of an antiviral RNase of higher primates. *Proceedings of the National Academy of Sciences of the United States of America* 99:5486-5491. PMID: 11917138
- Zhang, Z., J. A. Ober, and D. J. Kliebenstein. 2006. The gene controlling the quantitative trait locus EPITHIOSPECIFIER MODIFIER1 alters glucosinolate hydrolysis and insect resistance in Arabidopsis. *Plant Cell* 18:1524-1536. PMID: 16679459
- Zhao, Y., Y. Park, and M. E. Adams. 2000. Functional and evolutionary consequences of pyrethroid resistance mutations in S6 transmembrane segments of a voltage-gated sodium channel. *Biochem Biophys Res Commun* 278:516-521. PMID: 11095943
- Zheng, P., W. B. Allen, K. Roesler, M. E. Williams, S. Zhang, J. Li, K. Glassman, J. Ranch, D. Nubel, W. Solawetz, D. Bhatramakki, V. Llaca, S. Deschamps, G. Y. Zhong, M. C. Tarczynski, and B. Shen. 2008. A phenylalanine in DGAT is a key determinant of oil content and composition in maize. *Nat Genet* 40:367-372. PMID: 18278045
- Zufall, R. A., and M. D. Rausher. 2004. Genetic changes associated with floral adaptation restrict future evolutionary potential. *Nature* 428:847-850. PMID: 15103375